
THE PORTABLE COMPUTING MAGAZINE





First with software for the Model 100

BUSINESSPak+

For the Radio Shack TRS-80 Model 100

INTRODUCTORY PRICE! complete package manual and manual assettes.

six programs designed for the businessperson

- each on its own cassette
- ■120 page manual in simple language

is virtually a complete tool for the manager or executive. Picture how this added capability will help you.

WRITE+: Instead of merely a text preparation device the Model 100 becomes a real word processor. Margins . . . side, top and bottom. Title page, topic headings, page numbers, and even headers and footers. You can even right justify and print multiple copies. It has over 36 features and countless format possibilities.

EXPNS+: By simply entering expenses into eighteen categories, you get a twelve day spreadsheet, giving totals for each day, and category. Names of rows and columns are instantly changeable, and the sheet becomes a budget or even a financial report. Replication across the columns, cumlative totals, and automatic growth or decline rate projection, make EXPNS+ an excellent planning tool. And, all the math is built right in.


With BUSINESSPAK+ the Model 100 GRAPH+: Prints out Bar, Line and Pie graphs of any EXPNS+ report on the DMP-100 dot matrix printer. Shows the percents on the pie chart and values on the others.

> TELEX+: From any phone send any text file to any Telex machine in the world. Just enter the receiving Telex number. Send Mailgrams for next day delivery to any address at reduced rates through the Action Telex system.

PUT+: Lets you list any information in an organized fashion. It prompts for each entry and very rapidly creates addresses or schedule items and even inventory.

SORT+: Allows you to sort any list you compile with PUT+ alphabetically or numerically from any category in the entry. It can sort large files up to 20 times faster than an all Basic program.

PCSG provides hotline software support for the Model 100. Give us a call at 1-214-351-0564.



TRS-80 is a trademark of Tandy Radio Shack, Inc.

1983 Portable Computer Support Group

COMPUTER SUPPORT GRO

11035 Harry Hines Blvd. No. 207, Dallas, Tx. 75229


From Computer Plus to YOU...

PLUS after PLUS after PLUS





Model 100 8K \$679 Model 100 24K \$835











BUY DIRECT Here are just a few of our fine offers call TOLL FREE for full information. Here are just a few of our fine offers . . .

COMPUTERS		R.S. Modem II	160	DISK DRIVES	
Model 12 64K 1 Drive	\$2699	R.S. DC-1200	565	R.S. Model IV Drive 0	515
Model 12 64K 2 Drive	3375	PRINTERS		Color Computer Drive 0	329
Model IV 16K	849	Smith Corona TPI D.W.	469	Color Computer Drive 1	235
Model IV 64K		Silver Reed EXP500 D.W.	430	Primary Hard Disk M12	2689
2 Disk & RS232	1699	Silver Reed EXP550 D.W.	665	Primary Hard Disk MIII	1799
Color Computer II 16K	185	Daisy Wheel II	1745	ETC.	
w/16K ext. basic	245	DWP210	629	CCR-81 recorder	52
w/64K ext. basic	305	DWP410	1159	C.C. Joysticks (pair)	22
Pocket Computer 2	165	CGP115	159	16K Ram Chips	25
Model 16B 1Dr 256K	4249	DMP100	315	64K Ram Chips	75
Model 16B 2Dr 256K	4915	DMP120	395	8K Par/Par Microfaser	135
Model 100 8K	679	DMP200	520	Parallel printer cables are	
Model 100 24K	835	DMP400	1010	available for most computer	rs.
MODEMS		DMP500	1219	SOFTWARE	
Lynx MI/MIII	235	DMP2100	1745	CoCo FHL Flex D.O.S.	69.95
Hayes Smartmodem II	235	Gemini 10X	315	R.S. Software 10% off list.	
Hayes Smartmodem 1200	565	Gemini 15	425	Send for listing of	
Novation Smartcat 1200	459	CITOH Prowriter	375	brand name software.	
Novation J-Cat	125	CITOH Prowriter II	649		
R.S. AC-3	129	Okidata	CALL		



R.S. Modem I

We have the lowest possible **Fully Warranteed Prices AND** a full complement of Radio Shack Software.

Epson

Prices subject to change without notice. Not responsible for typographical errors. TRS-80 is a registered trademark of Tandy Corp.



CALL

TOLL FREE P.O. Box 1094 480 King Street Littleton, MA 01460 Write for your

SINCE 1973 -

free catalog

Contents

The Portable Computing Magazine

Editor Lawrence C. Falk

Managing Editor Courtney Noe Senior Editor Jim Reed Assistant Editor Susan A. Remini Submissions Editor Jutta Kapfhammer Editorial Assistants Valarie Edwards, Suzanne Kurowsky, Noreen Morrison,

Contributing Editors Dan Downard, Robert Frowenfeld, Richard White

Art Director Jerry McKiernan

Joyce Palgy

Assistant Art Director Sally Nichols

Designers Peggy Henry, Neal C.

Advertising Manager Charlotte Ford Advertising Assistant Lynda Wilson

General Manager Patricia H. Hirsch Assistant General Manager for Finance Donna Shuck

Customer Service Manager Ivanka Kleier

Research Assistants Deidra Henry, Tanya Holder, Monica Wheat, Wanda Perry

Dispatch Mark Herndon Transportation Wendy Falk

PCM is represented in the Eastern United States by Garland Associates, Inc., P.O. Box 314, S.H.S., Duxbury, MA 02331, (617) 934-6464 or 934-6546. Advertisers east of the Mississippi may contact them for further information.

PCM—The Portable Computing Magazine is published every month of the year by FALSOFT, INC., 9529 U.S. Highway 42, P.O. Box 209, Prospect, KY, 40059. Phone (502) 228-4492. PCM — The Portable Computing Magazine and the PCM logotypes are ® Trademarks of FALSOFT, Inc. Entire contents © by FALSOFT, Inc., 1983. PCM

-The Portable Computing Magazine is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever.

TRS-80, Model 100, and Portable Computer are ® trademarks of the Tandy Corp. CompuServe is a ®

Trademark of CompuServe Inc.
Subscriptions to PCM — The Portable Computing Magazine are \$28 per year in the United States. Canadian and Mexican rates are U.S. \$35. Surface mail to other countries is U.S. \$64, air mail U.S. \$85.

All subscriptions begin with the next available issue.
Payment accepted by VISA, MasterCard, American Express, Cash, Check or Money Order in United

States currency only.

Limited back issues are available. Please see notice for issues which are in print and costs. Payment accepted by VISA, MasterCard, American Express, Cash, Check or Money Order in U.S. currency only.

Too Street

Print It, Then Write It/Robert Frowenfeld
Making your own checks with the M100
PoCo The Sailor/Vincent Lord
Liquid Crystal Demo/Staff
Computer Talk/ Robert Frownfeld
Easing The Download / Guerri F. Stevens
Beware The Wumpus/Vincent Lord
Case Closed / William T. Stauffer
Pretty Printer/ Gary A. Sissala
Departments
PRINT Lawrence C. Falk
BASIC Bytes/ Richard White

LPRINT/ Lawrence C. Falk
BASIC Bytes/ Richard White
On The Road/Robert Frowenfeld
Subscription Order Form
Product Reviews
The Rackseller

Advertisers Index

BT Enterprises 27	Portable Computer Support
Chattanooga Choo Choo 37	Group IFC
Color Software Services 22	Prickly-Pear Software 15
Computer Plus 3	Radio Shack 20,21
Computer Solutions33	SilverWare
Growth Associates	Skyline Marketing 13
IOTA Systems 10	Spectrum Projects IBC
Leading Edge BC	York 10
PCM19	

Lprint

'Fiddling' With Publications A Tradition

As you no doubt know, PCM - The Portable Computing Magazine isn't the only magazine we publish. In fact, now

there are three.

The third one is called Score CARD, a fan magazine for University of Louisville athletics. And, while PCM and its sister computer publication, the Rainbow caused little interest in the Louisville, Kentucky, area where we hang out, Score CARD caused something of a stir, since it is, essentially, a local magazine devoted to local people.

Well, we got some amount of local publicity, of course, and the writers (especially the sports writers) were surprised to discover that we published two

other magazines.

"How do you go about starting a magazine?" was the most frequently

asked question we got.

In some ways, this reminded me of the response Tevya, the hero of Fiddler On The Roof answered his self-asked question when he wondered why the fiddler stayed on the roof if it was so dangerous. "I don't know," said Tevya. "But it's a tradition."

In the last six months, we've started two magazines, so maybe that's a tradition, too. And all of this leads me to be able to proudly point out to you that, yes, PCM gets a little bigger this month and is expected to be getting even bigger in the future.

There are two reasons this is happening. The first, obviously, is there are more advertisements this month - which means it is easier to pay for those extra pages. But the second reason is the more important one — both to us and to you.

We're starting to get more and more submissions to our editorial columns, more people wanting to do product reviews, more letters and notes with offers of help and suggestions. And, yes, more subscriptions, too.

All of that means that we're able to bring you more information in PCM

and on your Portable Computer than we have been able to do before. To understand that fully, you need to know something about our basic philosophy of magazine publishing.

I do not believe that the majority of you are really interested in the technical aspects of your Portable Computer. Most of you bought it to do a job — be that job word processing, keeping files, making an analysis of data or some leasure activities. Usually, that is a combination of both. I think you want us to show you how to do those things — not how to open up your computer (which, by the way, voids your warranty) and solder this chip to that. I doubt many of you want to disassemble the ROM routines and the like.

Which brings me to the point (besides the welcome news that we're growing) of all this: We solicit user articles, programs and reviews. If you have nothing to review, let us know - we'll add you to the list of people who want to review for us. And, of course we'll pay for your

I believe that virtually every program written for a computer has been developed to serve a specific need. Most of us are beginners. In fact, the very popular Bob Albrecht, one of the most widely-read and successful writers in the microcomputer field today, characterizes himself as the "ultimate beginner." The reason, as Bob explains it, is because he's always learning something new and when he writes about something, he wants it to be clear and understandable to others who are trying to grasp something that is new to them.

The point of all this is that it seems to me that, sometimes, potential contributors are "dazzled" by the programs they see in magazines and feel that they could never come up with anything so good, so they just never send in a program they've written. Often, I've found that some of the best programs are those which have to be "coaxed" out of a writer

One of our contributing editors in the Rainbow is an excellent case in point. He wrote me a letter very early on in the magazine's history, saying he had a program but didn't know if it was worth sending. He asked me whether I'd be interested.

When I wrote back saying I would, he wrote back again, saying that he'd thought about it and that, on reading the Rainbow, he decided it was nowhere near up to the standards of the programs we were printing. He thanked me for my time.

I called him and convinced him that he ought to send it in anyway. It was a good program. We ran it and, later, ran a couple more. Now, he contributes to the Rainbow on a regular basis and his programs are some of the best we print.

I'm trying to emphasize that we would welcome your contributions very much. In writing any program you've done, you have obviously addressed a need you have - whether that be for business use, for entertainment or just to learn something. You can share that with thousands of other people who also have a Portable Computer - and get paid for it, too.

I hope that you will consider sending us your programs and information you've learned about the Portable Computer. You'd help your fellow PoCo owners, help yourself and help us as well. And, who knows, a year from now you might be one of the "names" in the microcomputer world!

From the start, PCM has been an "International" publication, because we have a great many subscribers and retail outlets in Canada. Now, though, you can also get a special Australian version of the magazine "Down Under." Our agent in Australia reports that sales of

(continued on page 38)

Basic Bytes

A BASIC START

A new column on BASIC for the M100 by RICHARD WHITE, PCM Contributing Editor.

see two types of Model 100 owners. There are quite a few who are computer conversant and who realized the strengths of the machine immediately. Many of these folks had their money down within the first few weeks. Some had been thriving on old Model I's and had not seen the value of upgrading. That is, until Model 100. Others had a number of machines, but could not resist the next major advance. Many of these owners need a column on BASIC like they need three left shoes. This column is addressed to those having little programming experience, but who want to start using the BASIC in their machines. We will talk about things that are in the manuals and occasionally dig into things that are not. And we will digress into some non-code issues like programming practices and program structure.

Of course, you could start to learn BASIC by using the manual that comes with your machine. At least, you will need to know where everything is located in the manual. But, the Model 100 Manual is not a good text to start from scratch with. Its BASIC section is really not much more than an annotated listing of the available commands and other data. It looks like a good reference, but hardly a beginner's text. Far better would be the Color Computer manuals which take a step at a time approach. These can be purchased at your local Radio Shack store. Alternately, you might choose from other BASIC texts at Radio Shack, B. Dalton's or other book sellers. Don't worry about whether your Model 100 language is somewhat different. There are refinements and additions and the screen locations differ, but the basic commands, functions and operators you need to learn at the beginning are the same. And you always have your M100 manual to check to see if things are the same.

There are some things you should know early. One is how to save programs to tape and load them back into your machine. Even if you have 32K, you will quickly fill memory without magnetic storage. If you have access to another computer, you could dump to that machine and save to disk. I suspect tape will prove less hassle in many instances. Of course, when traveling, a recorder can be carried in the suitcase and files dumped in the evening making room for the next day's business and notes. If you don't have access to another computer, you have no choice but to use a tape recorder.

A word about tape reliability. The Color Computer was the first computer to have a really viable tape interface. I used tape for two years before getting my disk and did not feel deprived. The M100 has a very similar interface so it will perform equally well. Perhaps the keys to satisfactory cassette operations are to use short (C-10 or C-20) tapes, always save twice, and use a recorder with a tape counter so you can write on the cassette itself the start and end location for saves

of each program. I have an adage: fools save only once while cowards save three times. If you cannot find C-10 cassettes, check the ads in this issue and order by mail. I cannot argue too strongly about writing the contents and counter location on the cassette label. If you do this regularly, you will find you can put two to four programs per side and access any one without particular stress. As you do programming, it is handy to have a SAVEing utility built into your program. Yes, I know about function key 3 and find the following method and code much better. I generally use Line 10000 (easy to remember).

10000 INPUT"WANT TO RUN PAST LEADER"; I\$: IF I\$="Y" THEN MOTORON: FOR X=ITO 5000: NEXT

10010 FOR S=1 TO 2 : CSAVE "YOURPROG": MOTORON: FOR X=1 TO 500 : NEXT : NEXT : MOTOROFF

Other than being handy, we can dissect this program bit and see a lot about the basics of BASIC. First you use this by typing RUN 10000 or GOTO 10000. Ah so, we do not always have to start at the beginning of a program. Indeed, you could have a number of programs in a file, and RUN the one you want by its starting line number. Of course, in most cases it will be handier to have programs as separate files in memory and run them from the main menu. Not in this case, since you want to save the current file in a specific way to tape. You also cannot use the F4 key since that always RUNs a program starting at the lowest line number.

There is a lot that can be learned about programming concepts and

BASIC in those few lines of code. So, I will embark on a long winded discussion and hope you pick up some ideas along the way. Most tapes have leaders, and many times you will need to position the tape past the start of the leader. Why not have the computer remind you and then run the tape past the leader if that's what is needed? We start with INPUT"WANT TO RUN PAST LEAD-ER Y/N"; IS. The computer will print the text between the quotes and then wait for you to enter a "Y" or "N" and press ENTER. INPUT is neat in that the programmer can put on the screen a message about what response is needed

"Reading a spaghetti program is rather like reading an upside down roadmap..."

and get that response in one command. Here, INPUT is looking for a character or string entry, but it can be used to get numeric data as well if a numeric variable is used. For example INPUT"ENTER A NUMBER";X.

So something was keyed and the enter key pressed. Now the computer must make a decision. There are a number of ways to make a decision in BASIC. IF...THEN...ELSE is probably the most used. Since we can string a number of commands in one line of BASIC, separating them by colons, we will put our test in line 10000. IF I\$="Y" THEN MOTORON: FOR X =1 TO 5000: NEXT. IF makes a true false test. If I\$="Y" is true the code after THEN is

executed. If I\$ equals anything else, the test proves false and control goes to the next BASIC line. If you do want to run past the leader, MOTORON turns on the tape recorder. You did have the play and record buttons down? To run past the leader, the cassette must run 12 to 15 seconds. We need a timer. But, it takes time to run a program. If we tell the program to run around in circles (loop if you want to be technical) so many times, it will use a predictable amount of time. That is what FOR . . . TO . . . NEXT does in this case. The M100 starts at X=1 and goes to NEXT. NEXT checks if X=5000 or is greater than 5000. If not, it adds one to X and sends it back to the FOR statement. This is the simplest possible FOR . . . TO . . . NEXT, just to give you beginners the

Both IF . . . THEN and FOR . . . TO NEXT control what the computer does so they are called control structures. There are thousands of ways they can be used and a beginning programmer could do worse than spend the time to learn their ins and outs. And that done, you will learn even more as you use them.

In line 10010 we are at the meat of the matter. This saves the program to cassette twice and puts some blank space between saves. FOR S=1 TO 2: CSA-VE"YOURPROG" makes the first save and there is a FOR . . . TO again. BASIC always goes through a FOR . . . TO at least once so you would have gotten one save even if there were -100 in place of 2. Moving on, MOTORON: FOR X=1 TO 600: NEXT: NEXT: MOTOR-OFF. I said we wanted to leave a space between CSAVEs so MOTORON turns the cassette motor on and FOR X = 1TO 600: NEXT does a time delay. There are two nexts in a row, but M100 knows which FOR . . . TO it's dealing

	TRS-80 MODEL Three Software Pac	
1.	TYPIT (Output from TEXT)\$24.95 a. Set margins - top, bottom, left, right. b. Set line spaces - single, double, etc.	Send me the follo
	 c. Page numbering - start on any page number - include "footer." d. Right justify. e. LIMITATION: Runs slow. 	Name
2.	 TERM2	City Payment Encl Charge
	d. LIMITATION: For use with 300 baud.	Account No.
3. SP	ELF (Eliminate Line Feed)	Mail to:

	All 3 Programs - \$39.95	
Name		
Address		
City	State	Zip
Payment En	losed	VI
Charge 🗌 Vi	a MasterCard	HosterCoop
Account No	Interbank No.	(MC only)
Signature		
	GROWTH ASSOCIATES F	

with and won't get mixed up. At this point S = I so the second NEXT sets S = 2 and sends the program back to the first FOR . . . TO to CSAVE the program again. A space is left at the end of the second save and MOTOROFF turns the recorder off.

In this bit of program or code as we like to call it, to increase the fog index, we prompted the user for an input, got it, tested it and caused the computer to do four or five separate functions depending on that test. We met two BASIC control structures in simple form and used one three times. Not bad for two lines of code. It even makes sense when divided into little pieces. Perhaps the secret to programming is to "divide and conquer."

Perhaps? Nay, it's a certainty. If you think of your programs as functional little pieces, you will do a lot better. Pascal, another programming language, was written for use in teaching programmers to structure their programs. In fact, you cannot write in Pascal without adhering to strict structural rules. In BASIC you have a choice of writing free spirited spaghetti-like programs or relatively structured ones. Reading a spaghetti program is rather like reading an upside down roadmap under a new moon at midnight. New programmers seldom know where they are going with a program and halfway through may get bogged down figuring where they have been as well. Such is part of the learning process, so don't lose heart.

Program structure means program organization. Some languages require that variables, files, data structures and other attributes be declared at the beginning. Generous use of remarks is encouraged and specific indentation formats are strongly suggested. Structuring also deals with what should be in subroutines, what should be in the main procedure and how the procedures flow. Much of this is optional in BASIC, some is just good practice in any language.

Clarity should be as important a goal in BASIC as it is in other languages. There are a number of ways to write clear programs. I use the procedures that follow and find them valuable.

1) Define specific program functions and put the code for each function in its own module with introductory REMs. Assign a specific set of lines to a module. Blocks of 100 lines are convenient and will meet most needs. You will always know a module begins at an even hundred and can go right to the one you want.

2) Minimize looping back. The procedure should flow from start to end and loop only to repeat the routine or a portion of it.

"Perhaps the secret to programming is to 'divide and conquer.'"

minimize jumping forward. Many times all the code for the choices can be contained after THEN and ELSE on one line so that the procedure can continue on the next line. Some BASICS don't have ELSE. Apple doesn't and Apple owners pay extra for the lack. To illustrate, which is clearer to you?

10 1F X=0 THEN PRINT "FALSE":

X=1 ELSE PRINT "TRUE"

20 END

or

10 1F X=0 THEN 30

3) Use IF . . . THEN . . . ELSE to

10 IF X=0 THEN 30 20 PRINT "TRUE": X=1: GOTO40 30 PRINT"FALSE" 40 END

4) Put all subroutines in one of two places. Frequently called subroutines which include those that affect program speed should be at the front of the program. I reserve lines 5 to 99 for these. These should not be more than three or four lines. Line number spacing of two is good. Putting these here serves two functions. First the computer finds them quickly when speed counts. You also save bytes since the number in the GOSUB is only one or two bytes long. Infrequently called routines, particularly program initialization code should be at the end of the program. Each time a subroutine is called or the computer is sent to a specific line, it starts at the beginning of the program and searches until it finds that line. The fewer lines it passes to find the needed line the faster the search will be. It follows that speed is compromised if the computer is continually searching over code it has used and will not use again. Clarity comes from having only two places to look for subroutines. The one exception that I make is to place a major subroutine at the end of the module that calls it when only that module uses it.

5) The same reasoning used above also applies to the ordering of main program

modules provided they are called separately. Those used most frequently are put in front of the occasionally used ones. In a file program, the input module is used far more than the save to tape module and should come to the front. Modules that are used in order should be placed in order in the program.

6) Menus should be placed where they are used in the program. A menu's text provides valuable information on the branching of the program that follows. If menu choices are numbered from one up in sequence, the ON I GOTO XXX, YYY,ZZZ or ON I GOSUB XXX, YYY, ZZZ commands can be used. It is easy to read a listing, see which number corresponds to the code block you want and then drop down to the ON I statement and count across to find the target line number. Memory conservation sometimes forces use of strings defined elsewhere in the program in menu text. When this is done the advantage of reading the menu code to know what options are there and where to go for their code is lost. Programming is a series of compromises. It is up to you to

"I have an adage: fools save only once while cowards save three times."

know what your options are and to make sure that your choices are educated ones and not guesses or blind repetition of past practices.


Though I have discussed program structuring for purposes of easy trouble shooting and modification, the structure proposed had program speed firmly in mind as well. Memory use was another consideration. Clarity, memory and speed are like three corners of a triangle. You cannot be at all three points at once. You can make choices that shorten the sides of the triangle and get close to where you want to be. It takes careful thought and planning at the start so you don't end up redoing too much. Don't be upset when you don't get what you want the first or second time. Remember, all good commercial programs have version numbers and Version 1.0 is the first one offered for sale, not the first one of the development process. PCM

On The Road

Here is a super market program to take with you when you go . . .

Traveling To The Aisles

By Robert Frowenfeld *PCM* Contributing Editor



e're going to leave the world of business ratios and economic analyses to concentrate on something a little bit closer to home. As a matter of fact, as close to home as your grocery store. This month, we're going On The Road with the Model 100 to assist us in doing our food shopping. Just unplug your PoCo, stroll on down to the local supermarket, place your TRS totable in the top of your shopping cart, and get ready to simplify your shopping. A word of caution here before we get started. There may not be enough room in your shopping cart for both your Model 100 and junior, so if you really want to make good use of your computer, you may have to leave the apple of your eye alone to walk down the aisles and disrupt an otherwise orderly store.

Using the first four letters of the word grocery, I've decided to name this program GROC.BA; of course you can save it under any name you want on your Model 100 as long as you use the .BA extension. GROC was designed to perform two basic functions. The first is to keep track of all your purchases and to record them in such a manner so that you can easily review your expenditures when you get home. By classifying your purchases into specific categories as well as letting you type in a description for each item, the program can make a simple job of reconciling your cash register tape. Furthermore, as you'll see later, it can also let you know how much of your food dollar is being spent on various categories of items. The second function of GROC is to help you comparison shop for the best prices. There's a built-in unit cost price calculator which will help you decide which items are the better buys.

So, let's get started. The main menu (see Figure #1) lists all the functions available. The first option is the Compute Unit Price function. By pressing 1, you will be prompted by the Model 100 to enter a price formula. Here, you have two choices. You can type in an equation to give you the unit cost of an item, or you can enter a formula to have the Model 100 give you your total price for an item sold in quantity. As an example of the unit price function, let's say you are confronted with two sizes and prices of peanut butter, and you don't know which is the better value. The smaller size is \$1.49 for 18 ounces, and the larger is \$2.19 for 25 ounces. For the first size, type in the equation: 18/1.49 and press ENTER; the program will respond with your unit cost of \$0.083; this represents the cost per ounce of the smaller size. For the larger size, enter 25/2.19 and GROC will respond with \$0.088, indicating that the smaller size is really the better buy.

The second function of the unit price calculator is to determine the cost of items that aren't priced by the piece. As an example, oranges are selling for \$1.79 per dozen, but you only want to buy five of them. Simply enter 5@ 12/1.79, and your trusty shopping companion will respond with your cost of 0.75 to indicate your cost of 75 cents. This will be helpful when you need to enter the price paid for your purchases in the following section.

Enter Purchase (Figure 2) allows you to record your purchases on your Model 100 so that you can later review them to help reconcile your cash register receipt. When entering an item that is being purchased, you must assign a category number when prompted with the message Select Item. Seven different categories have been allocated to GROC. They are: Bakery, Dairy, Deli, Groceries, Meat, Produce, and Taxable Item. The titles for these headings can be found on line 60 in the program. If you desire, they can be changed, but don't change the last one - Taxable Item since the program adds in sales tax at the end based on the total of items selected for this group.

Once you've selected a category, you are prompted to enter the price. If you have to go back and compute the price using the unit price compute function, just press ENTER; the program will take you back to the Select Item prompt. From here you press 8 to return to the main menu and compute your actual cost. Once you've entered the price you'll be asked to furnish GROC with a description of your purchase. Since we're storing text here, I recommend that you keep your descriptions brief so as not to use up too much memory and/or string space.

Now that you have your purchases entered, you can do one of several things. First, I suggest that you save a record of what you've bought by selecting option #4, Save Purchase File. This will record all your purchases in a RAM file named PURCH.DO. In fact, it is recommended that you periodically save

your data to this file, just in case you have to shut off your Model 100 for a while to explain to the store manager why your little boy (angel that he is) won't stop playing with the lobsters in the tank. Once you get home and you want to review and/or list your purchases, you can load this file into GROC by using option #5, Load Purchase File. Note: the only time you have to load the purchase file is when you have had the machine turned off or, for some reason, you stop or exit the program and want to resume using it where you left off. If you just want to save the data and con-

tinue, you don't have to reload it.

This brings us to the last function of *GROC*, option #3: *Purchase Summary*. This allows you to list and/or print a summary of all your purchases. The listing itemizes each purchase by indicating the price paid and description of each item. At the end of the listing is a subtotal, a total for the taxable items, the amount of sales tax paid, and a grand total. The program has been configured for a sales tax rate on taxable items of 5 percent. If your sales tax rate is different, you will have to change line 30. For example, if you live in New York City.

line 30 will read 30 TR + .08125 since your tax rate is 81/4 percent.

At the end of the list is a recap of the dollar amount and percentage of your grocery bill paid for each of the seven purchase categories.

One additional note, this program was originally set up to handle 100 items. If you feel you'll need more capacity — no problem. Just change the arrays dimensioned in line 40 to accommodate a larger number of items; you might also want to change the cleared string space in line 10. Well, until next time — Bon Appetit!

you just want to save the data	and con- example, if you live	in New York City, time-	— Bon Appetit!
Figure 1 PCM Shopping C	ompanion	Figure 2	
Select:		Enter	Purchase
1 Comput	e Unit Price	1 Bakery	5 Meat
	Purchase	2 Dairy	6 Produce
	se Summary	3 Deli	7 Taxable Item
	urchase File	4 Groceries	8 Exit
	urchase File		
6 End Pr	ogram	Select Item:	
Figure 3	-		
Item # Price	Description		
1 1.25	DONUTS		
2 1.49	MILK - 1/2 GAL	The listing:	
3 0.79	ALUMINUM FOIL	1 GOTO 10	
4 1.50	ORANGES (B)		F IN\$<>"THEN Y=ASC(IN\$
2 1.49 3 0.79 4 1.50 5 0.99 6 0.69	CREAM CHEESE)	THE THOUTH
	CANNED PEACHES	7 X=VAL(IN\$):RETU	RN
	T-BONE STEAK		INT I-N: DEFSNG C-H, O-Q,
8 0.79	BREAD	S-T.V-Y: DEFSTR A-	The state of the s
Subtotal: \$	12.09	20 R=CHR\$(27)+"p"	:U=CHR\$(27)+"q"
Taxable Total: \$	0.79	25 F1\$="\$###.##"	
Sales Tax @ 0.050% \$	0.04	30 TR=.05	
Grand Total: \$	12.13	40 IX=0:DIM TY(10)	0),PR!(100),DE\$(100)
		50 DATA "Compute	Unit Price", "Enter Purc
CATEGORY	TOTAL PERCENT	hase", "Purchase S	ummary","Save Purchase
Bakery \$	2.04 16.82	File", "Load Purch	ase File","End Program"
Dairy \$	2.48 20.45	:FOR I=1 TO 6:REA	D MØ\$(I):NEXT I
Deli \$	0.00 0.00	60 DATA"Bakery","	Dairy", "Deli", "Grocerie
Groceries \$	0.69 5.69	s","Meat","Produc	e","Taxable Item","Exit
Meat \$	4.59 37.84	":FOR I=1 TO 8:RE	AD M1\$(I):NEXT I
Produce \$	1.50 12.37	99 GOTO 1000	
Taxable Item \$	0.83 6.84	100 'unit price	

8K MEMORY MODULES FOR THE TRS-80 MODEL 100 PORTABLE COMPUTER

\$85 each, 2 or more \$80 each

Exact Replacements for RS Memory
Easy To Install • Warranty Included
VISA and MC Accepted • CA Residents Add 6.5% Sales Tax

IOTA SYSTEMS • 1690 Day Valley Road • Aptos, CA 95003 • (408) 684-0482

Prices Subject To Change Without Notice • TRS-80 is a trademark of Tandy Corporation

```
110 GOSUB 600
120 PRINT@80, "Enter price formula: ";:60
SUB 6: IF IN$=""THEN 1000
130 J=INSTR(IN$,"/"):IF X=0 OR J=0 OR J=
LEN(IN$) THEN GOSUB 650:GOTO 100
140 K=INSTR(IN$,"@"):IF K=LEN(IN$) THEN
GOSUB 650:GOTO 100
                                                tal:
150 IF K<>0 THEN QU=VAL(MID$(IN$,K+1))
160 Y=VAL(MID$(IN$, J+1)): IF Y<=0 THEN GO
SUB 650:60TO 100
170 IF K=0 THEN C=Y/X:PRINT@160, "Unit Co
st = ";USING"$##.###";C:GOTO 190
180 IF K<>0 THEN C=X*Y/QU:IF C*100<>INT(
                                                RCENT"
C*100) THEN C=INT(C*100+1)/100
182 C=C
                                                TOTAL
185 PRINT@160, "Total Price = "USING" ##. ##
" : C
190 GOSUB 610: GOTO 100
200 'enter purchase
210 GOSUB 1100
220 PRINT@280,STRING$(38," ");:PRINT@245
                                                390 NEXT I
, "Select Item: ":: IN$=INPUT$(1):X=VAL(IN
                                                400 'save
$):IF X<1 OR X>8 THEN 220 ELSE J=X:PRINT
J:
230 IF J=8 THEN 1000
240 P=6+J*40: IF J>4 THEN P=P-140
245 PRINT@P, R; M1$(J)U;
250 PRINT@265, "Price: ";: GOSUB 6: IFIN$="
                                                : GOTO 1000
" THEN PRINT@P, M1$(J):: GOTO 220
260 PR=X: IX=IX+1: PR! (IX)=PR!: TY (IX)=J
270 PRINT@280,STRING$(38," ");:PRINT@280
,"Description: "::GOSUB 6:IFIN$="" THEN
270 ELSE DE$(IX)=IN$
                                                DE$(I)
280 GOTO 200
300 purchase summary
                                                500 'end
305 GOSUB 600
310 P=0:PRINT@120,STRING$(39," ");:PRINT
@127, "Send output to Printer (Y/N): "::G
OSUB 6: IF IN$="" THEN 1000 ELSE IF IN$="
Y" OR IN$="y" THEN P=-1 ELSE IF IN$<>"N"
AND IN$<>"n" THEN 310
315 CLS:TT=0:FOR I=1 TO 7:T(I)=0:NEXT I
                                                :: RETURN
320 PRINT"Item #
                     Price
                                Descripti
on": IF (P) THEN LPRINT" Item #
                                   Price
                                                625 RETURN
    Description
325 FOR I=1 TO 100: IF PR(I)=0 THEN 345
330 PRINTUSING" ###
                                     ": I:
PR!(I)::PRINT DE$(I)
335 IF (P) THEN LPRINTUSING" ###
         ": I; PR! (I);:LPRINTDE$(I)
340 T(TY(I))=T(TY(I))+PR!(I):TT=TT+PR!(I
345 NEXT I
350 PRINT: IF (P) THEN LPRINT
355 PRINT"Subtotal:
                              ": USINGF1$;
TT: IF (P) THEN LPRINT "Subtotal:
 ";USINGF1$;TT
360 PRINT"Taxable Total:
                              ": USING" $##
#.##":T(7):IF (P) THEN LPRINT"Taxable To
                                                1130 RETURN
        ":USING"$###.##";T(7)
tal:
```

```
365 TX=TR*T(7):PRINT"Sales Tax @ "USING"
#.###"; TR;: PRINT"% $"; USING" ##.##"; TX
366 IF (P) THEN LPRINT"Sales Tax @ "USIN
G"#, ###": TR::LPRINT"% $":USING" ##.##":T
370 TT=TT+TX:T(7)=T(7)+TX:PRINT"Grand To
           "USINGF1$: TT: IF (P) THEN LPRI
NT"Grand Total:
                       "USINGF1$; TT
372 PRINT: IF (P) THEN LPRINT
375 PRINT" Press any key for summary by
category";: A=INPUT$(1):PRINT
378 PRINT"CATEGORY"TAB(20)"TOTAL
                                        PE
379 IF (P) THEN LPRINT"CATEGORY"TAB(20)"
           PERCENT"
380 FOR I=1 TO 7
385 PRINT M1$(I) TAB(19) USINGF1$:T(I)::PR
         "USING"###.##";T(I)/TT*100:IF (
P) THEN LPRINTM1$(I)TAB(19)USINGF1$;T(I)
              "USING"###.##"; T(I)/TT*100
395 PRINT: GOSUB 610: GOTO 1000
410 GOSUB 620: OPEN ID$ FOR OUTPUT AS 1
415 PRINT@173, "Saving Data ...";
420 FOR I=1 TO 100:PRINT#1, TY(I);PR!(I);
CHR$(34)DE$(I);CHR$(34)" ";:NEXT I:CLOSE
450 'restore
460 GOSUB 620: OPEN ID$ FOR INPUT AS 1
465 PRINT@173, "Loading Data ...";: IX=0
470 FOR I=1 TO 100: INPUT#1, TY(I), PR!(I),
475 IF TY(I) <>0 THEN IX=IX+1
480 NEXT I:CLOSE: GOTO 1000
510 CLS: MENU
600 CLS: PRINT@0, STRING$ (20-LEN (MO$ (FX)) /
2." "): MØ$(FX):: RETURN
610 PRINT@285, "Press any key to continue
";: A=INPUT$(1): PRINT@285, STRING$(30, " ")
620 GOSUB 600: ID$="PURCH.DO"
650 PRINT@255.R" ERROR "U::FOR I=1 TO 10
00: NEXT I: RETURN
1000 'main menu
1010 CLS: PRINT@10, "PCM Shopping Companio
1020 FOR I=1 TO 6:PRINT@40*(I+1), TAB(5),
R: I: U" "MO$ (I) : : NEXT I
1030 PRINT@55, "Select: ";: IN$=INPUT$(1):
X=VAL(IN$): IF X<1 OR X>6 THEN 1030 ELSE
FX=X: ON X GOTO 100,200,300,400,450,500
1100 'purchase menu
1110 CLS:GOSUB 600:FOR I=1 TO 4:PRINT@I*
40+2,R; I; U" "M1$(I): NEXT I
1120 FOR I=5 TO 8:PRINT@40*(I-4)+22,R;I;
U" "M1$(I);:NEXT I
                                      PCM
```


ave you ever wondered how nice it would be to have your computer print checks for you? Of course you have! It's so easy (of course). You set your computer in front of you and you enter the date, the amount, and the payee and your trusty micro prints out a check. Simple, right? I mean, what could be easier? Well . . . it's not exactly that simple. It's not so simple because of the line where you are supposed to write out the amount of the check in words. You know - \$347.12 becomes THREE Hundred FORTY-SEVEN Dollars and 12/100, etc. Now how would you get your micro to do this? As you may have guessed, the answer is in the accompanying listing. With a few DATA statements and a little clever programming, I've come up with a nifty routine to solve this problem. The subroutine listed (which will be explained in detail) is capable of generating an alphabetic string for any amount from \$0.01 through \$99,999.99. Following are several examples. Before we discuss the mechanics of this routine let me digress for just a moment. While this program was originally written for a Model 100, it can be used without any modification on just about any other computer. Also, if you do have visions of one day keeping your checkbook on a computer (or if you are already doing so), this subroutine can be used to very easily incorporate the added feature of check printing.

Now for the explanation. Lines 50, 60, and 70 are DATA statements. These

are simply the words for the various numeric amounts. Line 50 contains the numbers ONE through TEN and also the word No when the amount of the check to be written is less than one dollar. Line 70 contains the words for multiples of ten: TEN, TWENTY, . . . , NINETY. Because of the way we count between TEN and TWENTY, line 60 has been entered and contains the words for the numeric values between these two amounts. Line 80 reads these nu-

double precision is simple. The highest value this routine was designed to handle is \$99,999.99, which contains seven digits. Using a single precision 4-byte variable yields only six digit accuracy. Hence, double precision is used. Because of the Model 100's default to double precision, I'll refer to the variable throughout the explanation as X and not X#.

The variable A is a string which is used to store the alphabetic interpreta-

"You set your computer in front of you and you enter the date, the amount, and the payee and your trusty micro prints out a check. Simple right? . . . Well . . . It's not so simple because of the line where you are supposed to write out the amount of the check in words. You know — \$347.12 becomes THREE Hundred FORTY SEVEN Dollars and 12/100, etc. Now how would you get your micro to do this? . . . With a few DATA statements and a little clever programming, I've come up with a nifty routine to solve this problem."

merics words into three arrays: A1\$, A2\$, and A3\$. Because I have defined all variables beginning with the letter "A" to be strings (see Line 10), I don't have to include the dollar sign "\$" as a variable type specification.

The routine for determining the alphabetic text begins at line 110. At this point the subroutine expects a double precision variable named X# to contain the dollar amount to be examined. The reason for the value having to be in

tion of the numeric amount. In line 110 it is set to a null string. Also in line 110, the original value of X is stored in X1. Next the routine checks to see if the value of the check is less than one dollar. If it is, the string is assigned a value of "No" contained in A1(0), and execution is transferred to line 150 where the word "Dollars" will be added prior to the addition of the fractional part (cents). Lines 120, 130, and 140 all work essen-

Ask your dealer for the Porta™ series from Skyline—to help you work faster and better!

PortaCalc™ — Model 100 "electronic spreadsheet" with 14 column by 26 row workspace! Full use of the built-in function keys to save, load, screen print, report print, or to look behind the data at the formulas in use.

Full arithmetic operators including exponentiation, absolute value, integer, summation, and averaging. Calculations are done to 14 digits of precision and displayed up to 9 digits. User selectable decimal place from none through seven—not just one, two, or floating! Formula replication is included to allow fast creation of worksheets.

Worksheets may be saved, loaded, or merged using the computer's memory or cassette. Often used templates can be saved in memory for instant recall.

Two powerful utility programs are included with **PortaCalc** at no extra charge! **PortaDex™** is a data exchange program that allows reformatting **PortaCalc** files into the DIF format used by **VisiCalc**. **PortaPrint™** is an enhancement to the Model 100's text editor, adding the ability to adjust left, right, and top margins, and page length. Page numbering, headers, centered lines, flush right justification, new page control, and more.

Comes with extensive documentation in padded 3-ring binder. Includes tutorial, detailed reference section, and executive level sample templates. Fully illustrated with screen prints, examples, and hints.

PortaStat™ — Correlation, regression analysis, and descriptive statistics package, designed to be a working tool for today's businessman. Data can be input from cassette, memory, or keyboard. Interactive with **PortaCalc** data files! Thoroughly documented, includes tutorial.

PortaFin™ —Present value, net present value, future value, annuities, interest factors, loan constants, internal rate of return and more! This user-friendly package prompts you for the needed input data, then gives you the answer to your loan or investment problem! Interactive with PortaCalc files, allowing you to "read" cash flow data from memory. Keyboard or cassette input also available.

PortaMax[™] — The powerful 'simplex' method of linear programming. Find the optimum 'mix' for a given set of constraints. Interacts with PortaCalc files to avoid time-wasting repetitive data entry. Tutorial, examples, and bibliography included.

PortaFolio™ — Stock and bond valuation, betas, Macaulay's duration, yield to maturity, bond swap calculations, and much more. All in an easy to use program, interactive with PortaCalc data files. Supplied with comprehensive instructions and reference manual.

All **Porta** series programs are supplied on cassette and require 24K RAM. **Pricing** — **PortaCalc** is \$69.95, all others are \$44.95 each. If ordering direct, add \$2.00 shipping and handling per order. Dealer inquires invited.







Model 100 is a trademark of Tandy Corp. VisiCalc is a trademark of VisiCorp. DIF is a trademark of Software Arts.

tially the same way. These statements set up a variable Y to equal the integer number of thousands, hundreds, and units of dollars. Each line then examines the value of Y and, if not equal to zero, calls the subroutine at line 200 to get the alphabetic expression for the number Y. For thousands of dollars, Y can have a value in the range of 1-99; for hundreds of dollars Y can be any value from 1—9; and for units, Y takes on a value of 1—99. On return from the subroutine starting at line 200, lines 120, 130, and 140 append the variable B\$ to A\$, and add the appropriate wording such as "Thousand" or "Hundred." At the beginning of lines 130 and 140 the value of X is decreased to handle the remaining amount. For example, say we want to print the value \$4,205.67. At the beginning of line 130, the value is reduced to 205.67, and at the beginning of line 140, it is further reduced to 5.67. At line 160 X is further reduced to the number of cents remaining (in this exam-

ple .67), and multiplied by 100 to make it an integer number that can be printed as a fraction over 100.

The subroutine at line 200 is what really makes this program shine! Given any number between 1 and 99, it returns the appropriate text by looking at the alphabetic arrays A1, A2, and A3. Line 200 checks to see if the variable Y is less than or equal to 10. If so, then things are easy and we simply set B\$ equal to the (alphabetic) value A1(Y) and return. At line 210, we check to see if the value of Y is in the range of 11 through 19, and if so, sets B\$ equal to the appropriate value found in array A2 and returns. Now comes the tricky part. We know at line 230 that the value lies in the range of 20-99 and that we will need a tens "word" and (possibly) a units "word." First we set B\$ equal to the string in A3 that comprises the tens part. We do that by taking the integer part of Y divided by 10 and using the result as a pointer to the "tens" array of A3. Next, a check is

made to see if the remainder of dividing by 10 is equal to 0 by using the modular arithmetic function MOD. If the result is not 0, then we add a hyphen ("—") and add the string for the units "word" from the array A1. Upon returning from this subroutine, the variable B\$ now contains the appropriate text to be concatenated onto the variable A. Easy as pie!

By the time execution gets to line 150, all that is left to do is to add the appropriate fraction of 100 and we're done. When the routine returns from line 170, the variable A contains the text to be printed.

Lines 300—310 have been included to illustrate how this routine could be called by a program requiring the alphabetic text for a numeric amount. Line 300 inputs a dollar amount and checks to make sure it is within the range of \$0.01—\$99,999.99; line 310 calls the subroutine and (upon returning) prints the result.

Examples:

Input amount: 1045.23
ONE Thousand FORTY-FIVE Dollars and 23/1

Input amount: 412.85
FOUR Hundred TWELVE Dollars and 85/100

Input amount: 8046.75 EIGHT Thousand FORTY-SIX Dollars and 75/ 100


The listing:

10 CLEAR 500: DEFSTR A: DEFINT I: CLS
50 DATA No, ONE, TWO, THREE, FOUR, FIVE, SIX, S
EVEN, EIGHT, NINE, TEN

60 DATA TEN, ELEVEN, TWELVE, THIRTEEN, FOURT EEN, FIFTEEN, SIXTEEN, SEVENTEEN, EIGHTEEN, N INETEEN 70 DATA TEN, TWENTY, THIRTY, FORTY, FIFTY, SI XTY, SEVENTY, EIGHTY, NINETY 80 FOR I=0 TO 10: READ A1(I): NEXT I: FOR I =0 TO 9:READ A2(I):NEXT I:FOR I=1 TO 9:R EAD A3(I): NEXT I 90 GOTO 300 100 'start 110 A="": X1=X: IF X<1 THEN A=A1(0): GOTO 1 120 Y=0:IF X<1000 THEN 130 ELSE Y=INT(X/ 1000):GOSUB 200:A=A+B\$+" Thousand" 130 X=X-Y*1000:Y=0:IF X<100 THEN 140 ELS EY=INT(X/100):A=A+" ":GOSUB 200:A=A+B\$+" Hundred" 140 X=X-Y*100:Y=0:IF X<1 THEN 150 ELSE Y =INT(X):A=A+" ":GOSUB 200:A=A+B\$ 150 A=A+" Dollar": IF INT(X1)<>1 THEN A=A +"5" 160 X=X-INT(X): II=X*100: A=A+" and ": IF I I<10 THEN A=A+"0" 165 A=A+MID\$(STR\$(II),2)+"/100" 170 RETURN 200 IF Y <= 10 THEN B\$ = A1 (Y) : RETURN 210 IF Y>10 AND Y<20 THEN B\$=A2(Y-10):RE TURN 220 B\$=A3(INT(Y/10)):IF YMOD10<>0 THEN B \$=B\$+"-"+A1(YMOD10) 230 RETURN 300 PRINT"Input amount: ";:LINEINPUTA:X= VAL(A): IF X<.01 OR X>99999.99 THEN 300 310 GOSUB 100:PRINT A:GOTO 300 PCM



PRICKLY-PEAR SOFTWARE **QUALITY PROGRAMS FOR YOUR MODEL 100**




Monsters & Magic

The most realistic fantasy role-playing game yet for the Color Computer. You start out by rolling up your character's basic ability scores and buying equipment. When you are ready it's into the dungeon. Your character starts at first level, but can rise in levels by garnering experience in the fray. If you have role-played fantasy games you will be amazed at the realism of the combat system. Armor class, initiative, and damage by weapon type are all included. with over 50 different monsters to fight - each with it's own abilities. As you rise in level you can win treasure and find magic weapons and spells - if you live!! You set the game length by telling how many monsters you want to fight before you reach your final battle to the death against the powerful Dungeon Lord. There are 1000+ place description combinations in this text based game, and real excitement in every one! This is a fantasy simulation, and is truly not like any adventure game you have ever seen. For 1 player. \$19.95 tape-24K

Astrology

Truly a classic, this program will accurately cast your complete horoscope. You just enter the date, time, and place of birth. The sun sign, rising sign, mid heaven (MC), lunar nodes, and planetary influences including houses and aspects between the planets will all be calculated, and a full chart drawn. You can also do progressed charts and transits. It will even tell you the day of the week you were born. The accompanying book will help you interpret this chart of your horoscope. The extent of the documentation is tremendous, even by our exceptionally high standards, and no previous knowledge of the subject is required. You can share in this wisdom which has been used for thousands of years in many cultures. This program was written by a professional Astrologer. \$34.95 tape - 16K

Your personal check is welcome - no delay. Include \$1.50 shipping for each program ordered. (Shipping free on \$50.00 or larger orders). AZ residents add 7% sales tax. Orders shipped within two days.



A simulation for 1 to 4 persons. Each begins as a landowner, and by farming their land, buying and selling land, expanding their fishing fleet, building on to their manufactory, increasing their population, equiping and training more soldiers, and regulating their taxes, each player tries to increase their economic power and rank until one becomes ruler over all. But beware plagues, rats, raiders, revolts, bad weather, and other misfortunes which may lie along the road to success. As you progress, see the map of your holdings increase. Playable in 1 to 2 hours, and different every time, you may have an addiction problem. \$19.95 tape - 24K




If you ever wanted to try a life of crime, this is your chance. You will start out as a Punk, but by using brains, and a little muscle, you can rise to become a Hood, Runner, Bookie, Torpedo, Fence, Kingpin, or win by becoming Syndicate Boss. Indulge yourself. Bribe a judge, or the District Attorney, Pay off the Cops. Take out a contract on another player, but watch out, they may be after you. Buy trucking companies, bootleg operations, houses of ill fame, but remember, if you get caught, you may do some hard time. Do you have what it takes to take over? This game will keep you close to your rod, get you thinking about bulletproof glass in your car, and definitely bring out the worst in you, but you'll love every minute of it. For 2 to 6 players, takes about 2 hours to play. Every game is excitingly different. \$19.95 tape - 24K

Stocked by Quality Dealers, or Send Order To: PRICKLY-PEAR SOFTWARE



9234 E. 30th Street Tucson, Arizona 85710 (602) 886-1505





ur world traveling publisher, Chief Petty Officer L. Falk, recently searched the world for the best use of the M100 in a realistic situation and displays his best efforts on the cover this month. If you happen to not recognize the scene, it's somewhere in the Mediterranean Sea, possibly near Greece? Only our publisher knows for sure. The pilot of his cruise ship obviously knows his way around for he has a computer to help and a CPO to program it for him. Unfortunately, the program was lost at sea and failed to be given proper publication. At the request of the CPO I will try to steer his ship home using our M100.

One of the most important items in navigation, whether by water or air, is a thorough understanding of the many factors that influence your ability to navigate. In airplanes there are primarily two factors; ie, airspeed and wind speed, the latter referred to as "currents." In boating or sailing there are several currents to consider. A definition of current refers to the horizontal movement of the water through which a

vessel moves, and includes also wind, compass errors, steering inaccuracies, errors in engine RPM indications and ship performance (ie, fouled bottom, poor design, etc.).

Dead reckoning is a form of navigation used frequently because of its quick calculation (using a map and compass rose) and one finds by using dead reckoning that a vessel's course and speed are seldom if ever identical to the actual course or track made. The difference between the actual track and the intended track is caused by currents mentioned above.


The more common method of determining the effects of currents involves using what is referred to as a "current triangle." The triangle in Figure 1 shows the six descriptions used in establishing the current triangle. The ordered course (c) and speed (s) are the direction and speed you would like to travel. The current set (S) and current drift (d) refer to the current direction and speed (example: wind or water current from 180 degrees at 6 knots, or from the south, blowing north, at 6 knots). The course

to follow to travel from point A to point B requires heading in a true heading direction (tr) that corrects for the current and at a resultant speed of advance (soa). A, B, and C refer to the angles used in the formulae.

From the current triangle (Figure 1) one can 1) find the resultant track (tr) and speed of advance (soa) when the vesels proceed at a given course (c) and

speed (s)(OPTION 1 AT THE MENU), 2) find the course (c) and speed (s) to achieve the intended track (tr) and speed of advance (soa)(OPTION 2 AT THE MENU), or 3) find the current speed (s) and direction (d) when the two courses are known (OPTION 3 AT THE MENU). The computer program is selfinstructing; however, remember that when you get current information such as winds, that means the direction FROM which the winds come. The other important consideration is the use of radians instead of degrees. The program automatically corrects for information entered in degrees. Degrees may be entered as decimal degrees, ie no minutes or seconds, and the resultant degrees are given as integers.

May you have smooth sailing.




Menu Selection 2

this section determines the course and speed to maintain soa and tr true heading(tr)? 330 speed of advance(soa) 200 current heading(d)? 140 current speed(s)? 20

THE COURSE HEADING FOR tr AND soa IS 334 DEGREES THE SPEED FOR tr AND soa IS 185.1 KNOTS

return to menu(1) or this section(2)



course as a result of current acting on a course (to maintain true course)

THIS SECTION WILL FIGURE THE CURRENT DIRECTION AND SPEED


true heading(tr)? 330 speed of advance(soa)? 200 course direction(c)? 40 course speed(s)? 200

THE CURRENT SPEED IS 229.4 KNOTS THE CURRENT DIRECTION IS 95 DEGREES

RETURN TO MENU(1) OR THIS SECTION(2)

The listing:

- 5 CLS: DIMA(14), S(14)
- 10 LINE(100,12)-(120,36)
- 20 LINE-(100,36)
- 30 LINE-(100,12)
- 40 LINE(110,36)-(110,38)
- 50 LINE(85,38)-(123,38)
- 55 PRINT@175, CHR\$(147)
- 60 LINE-(120,42)
- 70 LINE-(113,43)
- 80 LINE-(100,42)
- 90 LINE-(85,43)
- 100 LINE-(85,38)
- 110 LINE (0,44) (239,48)
- 120 LINE(0,40)-(85,42)
- 130 LINE (0,55) (239,60)
- 140 LINE(123,39)-(239,47)
- 150 PRINT@137, CHR\$ (146)
- 160 PRINT@3, "I'M POCO THE SAILOR MAN!"
- 165 PRINT@43,"I live in"; TAB(20), "Prospe
- ct Land!"
- 200 DATA 7456,20,6269,10,6269,20,6269,10
- ,7032,20,7456,20,6269,60
- 210 DATA 6269,20,5586,10,7032,20,5586,10
- ,4697,20,5586,20,6269,60
- 300 FOR X=1 TO 14
- 310 READ A(X), S(X)
- 320 SOUND A(X), S(X)
- 330 NEXT X
- 990 GOSUB 4900
- 1000 CLS:PRINT@18, "MENU"
- 1010 PRINT@43,"1) FIND TRACK (tr) AND SP
- EED (SOA)"
- 1020 PRINT@83,"2) FIND COURSE (c) AND SP
- EED (S)
- 1030 PRINT@123,"3) FIND CURRENT (d) AND SPEED(S)"
- 1040 PRINT@163,"4) END PROGRAM"
- 1050 INPUT"SELECTION (1-4)";Q
- 1060 ON Q GOSUB 1100,2000,3000,4000
- 1100 REM calculate tr and SOA
- 1105 CLS
- 1110 INPUT "course direction(c)";C
- 1120 INPUT"course speed(s)";SP
- 1130 INPUT"current direction(d)";D
- 1140 INPUT"current speed(S)";SC



Determination of current effects when true course

and actual course are known

1170 FX=SP*SIN(C*ATN(3D13)/90)+SC*SIN(D*ATN(3D13)/90)

1180 FY=SP*COS(C*ATN(3D13)/90)+SC*COS(D*ATN(3D13)/90)

1190 FR=SQR((FX*FX)+(FY*FY))

1170 FR=50K((FX*FX)+(FY*FY)

1200 AL=FX/FY

1210 ZL=ATN(AL)*90/(ATN(3D13))

1212 IF FX<0 AND FY>0 THEN ZL=360+ZL:GOT 01216

1017

1213 IF FX<0 AND FY<0 THEN ZL=180+ZL:GOT 01216

1214 T

1214 IF FX>0 AND FY<0 THEN ZL=180+ZL:GOT

01216

1215 IF FX>0 AND FY>0 THEN ZL=0+ZL

1216 CLS

1220 PRINT"THE TRUE HEADING(tr) IS";:PRI

NTUSING"####"; ZL; : PRINT" DEGREES"

1230 PRINT"THE SPEED OF ADVANCE(SOA) IS"
;:PRINT USING"####.#";FR;:PRINT" KNOTS"

1250 PRINT@240, "return to menu(1) or thi s section(2)"

1260 A\$= INKEY\$

1265 IF A\$="" THEN 1260

1270 IF A\$="1"THEN 1000 ELSE 1100

2000 REM detn heading and speed for true course

2005 CLS

2010 PRINT"this section determines the course and speed to maintain soa and tr"

2015 INPUT"true heading(tr)":TH

2020 INPUT"speed of advance(soa)"; SA

2030 INPUT"current heading(d)";CH

2040 INPUT"current speed(s)";CS

2050 IFTH<CH THEN HH=180+TH:GOTO 2090

2060 IFTH>CH THEN CH=180+CH:GOTO 2090

2070 IFTH=CH THEN GOTO 2500

2090 AB=HH-CH

2095 BA=AB*ATN(3D13)/90

2100 QW=SQR(SA*SA+CS*CS-(2*SA*CS*COS(BA)))

2110 XC=(CS/QW)*SIN(BA)

2120 CX=ATN(XC/SQR(-XC*XC+1))

2125 FC=CX*90/ATN(3D13)

2130 NC=FC+TH

2135 CLS

```
3110 FH=ATN(FF/SQR(-FF*FF+1))
2140 PRINT"THE COURSE HEADING FOR tr AND
              IS "::PRINT USING"###":NC:
                                               3120 FR=FH*90/ATN(3D13)
:PRINT" DEGREES"
                                               3130 IF CD>JK THEN DD=CD-FR ELSE DD=FR+C
2150 PRINT"THE SPEED FOR tr AND soa IS";
:PRINT USING"####.#";QW;:PRINT" KNOTS"
                                               3135 CLS
2160 GOTO 2550
                                               3140 PRINT"THE CURRENT SPEED IS ";: PRINT
2500 REM headings in same direction
                                               USING"####.#";SS;:PRINT" KNOTS"
2510 PRINT"THE HEADING IS "; TH; " DEGREES
                                               3150 PRINT"THE CURRENT DIRECTION IS "::P
 AND THE SPEED IS "; SA+CS; " KNOTS"
                                               RINTUSING"###"; DD; : PRINT" DEGREES"
2550 PRINT@240, "return to menu(1) or thi
                                               3160 PRINT@240, "RETURN TO MENU(1) OR THI
s section(2)"
                                               S SECTION(2)"
2560 A$=INKEY$
                                               3170 A$=INKEY$
2570 IF A$="" THEN 2560
                                               3180 IF A$="" THEN 3170
2580 IF A$="1" THEN 1000 ELSE 2000
                                               3190 IF A$="1" THEN 1000 ELSE 3000
3000 REM TO COMPUTE CURRENT AND SPEED
                                               4000 MENU
3010 CLS: PRINT"THIS SECTION WILL FIQUIRE
                                               4900 CLS:LINE(72,40)-(138,24)
 THE CURRENT
                 DIRECTION AND SPEED"
                                               4910 LINE-(132,48)
3020 INPUT"true heading (tr)"; JK
                                               4920 LINE-(73,40)
3030 INPUT"speed of advance(soa)";SO
                                               5000 PRINT@170,"A"
                                               5010 PRINT@104,"C"
3040 INPUT"course direction(C)";CD
3050 INPUT"course speed(S)";FS
                                               5020 PRINT@263."B"
                                               5040 PRINT@137,"c"
3060 AG=JK-CD
3070 IF AG>180 THEN AG=360-AG
                                               5050 PRINT@178,"s"
                                               5060 PRINT@181, "S"
3075 IF AG>360 THEN AG=720-AG
                                               5070 PRINT@218, "tr"
3080 GA=AG*ATN(3D13)/90
3090 SS=SQR(FS*FS+S0*S0-(2*S0*FS*C0S(GA)
                                               5080 PRINT@257, "SOA"
                                               5090 PRINT@183,"d"
                                               5100 FOR X=1 TO 5000: NEXTX
3100 FF=(SO/SS)*SIN(GA)
                                                                                     PCM
                                               5110 RETURN
```

Your Perfect Portable Companion

Now, here's your opportunity to have **PCM** — The Portable Computing Magazine delivered to your home or office each month!

PCM will bring you the finest and most up-to-date information available anywhere for your TRS-80 Model 100 Portable Computer. Whether your interest is programming, using the Portable Computer's fabulous built-in functions or communicating with other Portable owners, **PCM** is for you.

Each month we'll bring you a host of articles, ready-to-run programs for business and professional use or just plain fun. And each article will be in an easy-to-read style...not computerese.

Subscribe to **PCM** today! A dozen issues are only \$28 (\$35 in Canada and Mexico).

PCM — The Portable Computing Magazi 9529 U.S. Highway 42 P.O. Box 209 Prospect, KY 40059	ine	(502) 228-4492
YES! Sign me up for a year (12 issues) of NameAddress		
City		Zip
☐ Payment Enclosed Charge ☐ VISA ☐ MasterCard Account Number Signature	Interbank # (MC only)	
Subscriptions to Portable Computing are \$20 Canadian and Mexican rate is U.S. \$35. Surface r	rate elsewhere U.S. \$64. Air mail	MasterCard Cards Cogness Welcome

Complete Your TRS-80® Genuine Radio S



8K Model 100 ow As \$45 Per Month On CitiLine Credit

24K Model 100

The TRS-80 Model 100 is a true portable computer that works on batteries or with an AC adapter. It's small enough to fit easily in your briefcase, yet powerful enough to serve as your desktop microcomputer. And now Model 100 is complemented with a host of accessories for added versatility.

Ready to Use. The instant you turn on the Model 100, you can choose from one of five built-in management programs displayed on the eight-line by 40-character LCD display. With the full-size typewriter keyboard and built-in personal word processing program, you can jot down notes and write letters and reports. Model 100 also works as an appointment calendar, address book, phone directory and telephone auto-dialer. You can even write your own BASIC programs

A TRS-80 Portable Terminal. With Model 100's communications program and built-in auto-dial modem, you can access national information services like CompuServe® and Dow Jones News/Retrieval®. Or connect Model 100 directly to another computer-micro, mini or mainframeusing the RS-232C interface. There are also parallel printer and cassette tape interfaces.

Available Nationwide. You can get the 8K Model 100 or the 24K Model 100, plus the accessories at your nearby Radio Shack Computer Center, participating store or dealer.





Prices apply at participating Radio Shack stores CompuServe, Inc. Dow Jones News/Retrieval

Model 100 System with ack Accessories

Acoustic Coupler

3995

NEW!



Ideal for travelers who rely on their portable TRS-80 Model 100 for computer-to-computer communications or to access information services. Direct connection to a modular phone jack may be unavailable, so the Acoustic Coupler is your safety valve. You simply connect your Model 100 to a telephone handset via the Acoustic Coupler and you're ready to log on.

CCR-81 Cassette Recorder



Save your program and data files on cassettes, or use Model 100's ready-to-run software. Includes cue/review, tape counter and LED data record indicator. Operates on AC or batteries (not incl.).



A lightweight and durable carrying case! System briefcase is spacious enough to hold your TRS-80 Model 100, the CCR-81 Computer Cassette Recorder, acoustic coupler and cables.

100 to a modular and receiving data des one free hour CompuServe and

Modem Cable

Shaek n little computers®
DY CORPORATION

Mail To: R	COMPUTER CATALOG! Send for your free copy, adio Shack, Dept. 84-A-726 10 One Tandy Center, Fort Worth, Texas 76102
NAME	
COMPANY	
ADDRESS	
CITY	STATE ZIP
TELEPHONE	

GOLDLABEL™ BLANK CASSETTES

★PREMIUM 5 SCREW SHELL ★COMPUTER DATA QUALITY ★LOW NOISE ★MADE IN USA ★GUARANTEED

1 DOZEN C-10 LENGTH \$8.50 + \$2.50 shpg. 2 DOZEN C-10 LENGTH \$16.00 + \$3.50 shpg.

1 DOZEN C-30 LENGTH \$12.50 + \$2.50 shpg. 2 DOZEN C-30 LENGTH \$23.50 + \$3.50 shpg.

Individual storage boxes (sold only with cassettes) \$2.40 per dozen. CASSETTE CADDY: \$3.95 + \$2.00 shop.


\$3.95 + \$2.00 shpg. 2 for \$7.00 + \$3.00 shpg.

Free shipping on one caddy with each dozen cassettes.

Foreign orders include shipping at 16 oz. per dozen tapes/9 oz. per caddy/13 oz. per dozen boxes. Shipped in U.S. by UPS.

CASSETTE CADDY

TIRED OF MISPLACED TAPES AND A CLUTTERED WORK AREA? TRY OUR HINGED TOP SMOKED PLASTIC CADDY THAT HOLDS 12 TAPES IN ONE HANDY LOCATION. EDGE LABELS INCLUDED TO IDENTIFY TAPES.





Visa and Mastercard accepted (include expiration date) Orders paid by cashier's check, money order or bankcard are shipped within 48 hours. Personal check takes 1-2 wks. No COD. Some foreign sales are restricted. Texas residents add 5% tax.

COLOR SOFTWARE SERVICES P.O. BOX 1708, DEPT. R GREENVILLE, TEXAS 75401

Telephone Orders: (214) 454-3674

9-4 Monday-Saturday


* DEALER INQUIRIES INVITED

*QUANTITY DISCOUNTS AVAILABLE



(*Little Computer Demo)

Here's a short but interesting program to demonstrate some of the neat things that can be done with the LCD (liquid crystal diode) display on the Model 100. The program asks the user to input a number of points. The response, which must be a number in the range of 4 through 32, dictates the number of sides of an equilateral polygon. The program then proceeds to connect each point with every other point. It makes an interesting display, especially with even numbers such as 8, 10, and 12. Inputting numbers higher than 15 will result in a picture that is more black than white, but it's still interesting to see how the lines are drawn. Inputting value of 32 will result in a completely darkened circle. Have fun!



The listing:

10 CLS:PRINT"Input # of points: ";:LINEI NPUT A
15 N=VAL(A):IF N=0 THEN MENU ELSE IF N<4
0R N>32 THEN 10
20 DIM X(33),Y(33)
25 R=30:Z=360/57.2958/N:CLS
30 FOR I=1 TO N:X(I)=R*COS(7*(I-1)):Y(I)

30 FOR I=1 TO N:X(I)=R*COS(Z*(I-1)):Y(I) =R*SIN(Z*(I-1)):NEXTI:X(N+1)=X(1):Y(N+1)

=R*SIN(Z*(I-1)):NEXTI:X(N+1)=X(1):Y(N+1 =Y(1)

145 FOR I=1 TO N:FOR J=I+1 TO N

5 CLEAR 500: DEFSTR A: DEFINT I-N

160 X1=X(I)+120:Y1=32-Y(I):X2=X(J)+120:Y 2=32-Y(J)

165 LINE(X1, Y1) - (X2, Y2)

170 NEXT J:NEXT I

200 A=INPUT\$(1):RUN

PCM

All work and no play makes Jack a dull boy ...

NOW YOU CAN HAVE FUN WITH YOUR 24K MODEL 100

4 games for your enjoyment:

BLOCKADE — Your 'snake' grows longer as you hit the randomly appearing targets on the screen — as long as you don't run into yourself, a wall, or your opponent! A one or two player real-time game with optional sound and three speeds of play.



REVERSI — A 'board' game in which you try to outflank your opponent to end up with the most squares at game's end. Play against the computer or another human.

FRANKENSTEIN ADVENTURE — Find all of the necessary equipment to awaken the monster. The clues are hidden and the pitfalls are many!

ALEXIS ADVENTURE — Sail the seas and traverse the islands to recapture your kingdom. Chart your course or you may sail on forever!





a lot of software for a little silver

All four games on tape for only \$24.95

Calif. residents add 6% tax, overseas add \$1.00 shipping

Mastercard & Visa

Dealer inquiries invited

SilverWare POBox 21101 Santa Barbara, CA 93121

(805) 966-1449

Computer to Computer Communications

With TELCOM

By Robert Frowenfeld

ne of the most complicated tasks in realizing the full potential of compuers is the problem of having computer A talk to computer B. Sometimes it's just not enough to spend tens (if not hundreds) of hours developing a program that will make your computer stand on its head and spit wooden nickelsthere's always somebody in the crowd who cries, "Hey, that's a great program, but can you transfer it to my computer?" Well, the TRS-80 Model 100 has what I believe to be one of the finest telecommunications packages available. And the cost can't be beatit's free. Just power up your portable companion and you'll see a program called TELCOM.

Our friends in Fort Worth must have worked overtime on this one. because for me, a novice in computer-to-computer communications, TELCOM is the simplest thing in the world to operate. I own a TRS-80 Model 16 and a Model 100, and from time to time I've found TELCOM the solution to a lot of headaches. While my Model 100 is equipped with 24K of memory, there are times when the memory starts running low. I've found it very convenient to transfer my programs to my Model 16 and later, when I need them back, to load them back to the Model 100. I've used my old Model I's tape recorder to save and reload Model 100 programs, and it does an excellent job, but there's just no comparison to the speed and versatility of being able to save my Model 100 programs on an eight inch floppy. Imagine, being able to store over 400K of Model 100 programs and data on a single disk! I'm also in the process of converting a lot of my Model 16 programs to work on the Model 100. Having a 24-line by 80-column display available (on the Model 16) to perform the necessary modifications makes designing software for the Model 100 on the Model 16 a simple task indeed. By using the Model 100's TELCOM program, the Model 16's TER-MINAL package (which, incidentally, also comes free with the Model II, 12, and 16), and an RS-232 serial communications cable. transferring programs back and forth between the two machines has become a breeze. Oh yes, lest I forget-an additional advantage to being able to load programs from the Model 16 to the Model 100 is . . . (drum roll please) . . . SCRIPSIT. Using the Model 100's built in word processor, it's great to be able to create doc-


> uments on the Model 100, load them into Model 16 SCRIPSIT, make the necessary formatting changes, spelling corrections, etc., and then print out the final product. For you executives out there in PCM land—this could be

the solution to a lot of problems!

But now, let's get down to the nuts and bolts involved in getting the Model 100 (and TELCOM) and the Model II, 12, or 16 (and TERMINAL) to talk to each other. First, you must have the proper cable connecting the two computers together. Radio Shack has a Model 100 serial communications cable available (part #26-4403), and a null modem adapter (part #26-1496). You'll need both of these because the computers aren't talking through a modem; are talking directly to each other. For those of you who like to get technical, the null modem adapter switches cable line pairs 2,3 and 4,5 as well as rearranges lines 6,8, and 20 so the two computers can communicate with each other. If you find the desire to save the \$40 it will cost to purchase the cable and null modem adapter, you can build your own for just a few dollars by following the diagram in the Model II, 12, or 16 owner's manual in the Technical Section under the heading of Model II to Model II communications. Its very easy to follow (If I can do it, anyone can.).

So, now you have your cable and null modem adapter plugged together with one end of the cable plugged into the Model 100. Take the other end and plug it into Serial Channel A of your Model 16. So much for the mechanics.

From TRSDOS Ready on the Model 16 type TERMINAL (press ENTER) and place the cursor on the Model 100's menu over TEL-COM and press ENTER. Would



you believe we are less than two minutes away from getting the two computers talking to each other?

On the Model II, type the letter "S" and press ENTER, and on the Model 100, press the function key F3. We are now ready to enter the communications protocols for each computer. For each machine, this will consist of transfer (Baud) rate, word length, parity, and stop bits. On the Model II, TERMI-NAL will display: Enter TRSDOS Command (1-79), indicating that you should enter a command line between 1 and 79 characters in length. You must now type: SETCOM A=(300,7,E,1) and press ENTER. The Model II will respond with: PORT A ENABLED AS (-BAUD = 300, BITS = 7, PARITY =E, STOPS = 1. The Model 100 will be prompting indicating that it is awaiting

"Our friends in Fort Worth must have worked overtime on this one, because for me, a novice in computer-to-computer communications, *TEL-COM* is the simplest thing in the world to operate. I own a TRS-80 Model 16 and a Model 100, and from time to time I've found *TELCOM* the solution to a lot of headaches."

a command to change the communications protocol. Simply type: 37E1D. The two computers are now set up to "talk to each other" using the settings: Baud Rate = 300, Word Bits = 7, Parity = you with the word "Stat," Even, and Stop Bits = 1. It really doesn't matter too much what the settings are; what really matters is that they must be identical for both machines.

Now for the last step. On the Model II, type the letter "T" and press ENTER; the screen will go blank. On the Model 100, press the function key F4. That's it! If you did everything correctly, anything you type on one computer's keyboard will be echoed on the other. If you find that you can type on the Model 100 and, although it echos on the Model II it is not displaying on the Model 100, press the function key F4 on the Model 100 to change the duplex mode from Full to Half. Similarly, if you are typing on the Model II and you can't see what

To upload a program from the Model 100 to the Model II, the steps a—j must be performed in order:

- a) Model 100: Select the file to upload and make sure it is in ASCII format.
- b) Model II: Call up the TERMINAL program, set up the communications protocol.
- e) Press "R" and hit ENTER.

e)

1)

- d) Press "Y" to open the RAM buffer.
 - Press "Y" to reset the RAM buffer (if necessary).
- f) Model 100: Enter TELCOM, Press function key F4 to get into TERM mode.
- g) Press function key F3 to select the UPLOAD option.
 h) In response to the "File to Upload?" question, enter the file name and extension to transfer.
- Model II: Press "T" to enter the TERMINAL mode.
- i) Model 100: In response to the "Width:" question, hit ENTER.
- k) Model II: Press BREAK key to return to TERMINAL menu.
 - Press "C" to copy RAM buffer to disk.
- m) Respond to "Enter Filespee?" with file name to save on Model II.

If you've done everything correctly, you should see the program being transferred on the video display of the Model II. Depending on the setting on the duplex on the Model 100, you may (or may not) also see the file as it is sent. Follow steps k—m above to download the Model II's RAM buffer to disk.

To transfer files in the other direction from the Model II to the Model 100, follow the procedure outlined below:

- a) Model II: Select the file to upload and make sure it is in ASCII format.
- b) Call up the TERMINAL program, set up the communications protocol.
- c) Press "G" and hit ENTER to copy file into RAM buffer.
- d) In response to "Enter Filespec?" enter file name to transfer.
- e) Model 100: Enter *TELCOM*, Press function key F4 to get into TERM mode.
 f) Press function key F4 to select the DOWNLOAD option.
- g) In response to the "File to Download?" enter the file name and extension to transfer.
- h) Model II: Press "X" and hit ENTER to enter TERMINAL and TRANS-MIT mode.
- i) After transmitting, press BREAK to return to main menu.

A few notes of caution and assistance. First, to eliminate the thing that results in problems more often than anything else, make sure that the two machines have the same communications settings: Baud rate, parity, word length and stop bits. Second, make sure the RAM buffer is clear on the Model II before you transfer anything into it. This can be done by entering a "D" (for display) from the TERMINAL main menu. Also, make sure your connections are good and tight, and don't ever, ever, turn off either machine or pull out any cables until you have turned off the communications function. On the Model II, this can be done with the command SETCOM A=OFF from TRSDOS or TERMINAL. On the Model 100, TELCOM can be exited by pressing the function key F8. If, by accident, you don't turn off the channels, a "glitch" in the line (which can be caused by pulling out a cable, turning off the machine, or letting your Model 100 shut itself off if it remains unused for a few minutes) can make either (or both) machines lock

So there you have it. It's really not as difficult as it sounds. Give it a try and see if you can be the first person on your block to get your Model 100 and Model 11, 12 or 16 talking to each other. Happy communicating!

<mark>kaantakuttokuks toiskukiriksk</mark>oriiskukiriskakiriskoriiskoriiskoriiskoriiskoriiskoriiskoriistokoriiskoriiska toisk

you are typing, you will have to get back to the Communications Menu (by pressing BREAK) and issuing the command "E" to toggle the self-echo option.

Now that the Model 100 and Model II are talking to each other, transferring whole files is a breeze. The one thing to

keep in mind if you are transferring a BASIC program is that it must be in ASCII format. To save a file in this format on either machine, use the "A" option when saving the program. As an example, to save the program named XYZ, you would type: SAVE "XYZ",A.

So you want that program out there? Don't just download it, download it with . . .



By Guerri F. Stevens

id you ever download a BASIC program from CompuServe and find that it had extraneous carriage returns? Have you transmitted a Model II program to your Model 100 and discovered that the control Js you used were causing DS errors? If either of these things has happened to you, the program which follows can help.

The Download Aid program analyzes a BASIC program stored in ASCII. It replaces the sequence of characters produced by the control J on the Model II with blanks. It attempts to remove extraneous carriage return characters. I say "attempts" because this feature is not (and cannot be) foolproof, as I will explain later.

Operating Instructions

The program runs on the Model 100 and processes a BASIC program stored in ASCII (.DO extension). At the beginning, the Aid program clears the screen and displays the title Download Aid. It then asks you for certain information. Type the appropriate responses, as described below. If you make an error, the message "ERROR — RETRY" is displayed in reverse video and the request is repeated.

File Name:

Type the name of the file you want to process. Remember that the file must be a BASIC program stored in ASCII form.

If the file is on cassette, you must precede the name with "CAS:". If you don't, the program assumes that the file is in RAM.

If the file is on cassette, put the cassette into your cassette recorder,

and press PLAY.

Output on <C>assette or in <R>AM? If your file is on cassette, you will not get this message; the output file will be placed in RAM automatically.

If your file is in RAM, you may choose the output device; if you want the output file to be written on cassette, type C (upper or lower case is acceptable). If you want the output file in RAM, type R.

If you want the file on cassette, put a cassette into your recorder and set it to record. This is usually done by depressing the PLAY and RECORD buttons simultaneously.

Output file name is F@@xxx

No response is necessary. This message tells you what the output file will be called. The name is always F@@ followed by the first three characters of the input file name.

File F@@xxx already exists. Do you want to kill it?

Your output file is going to be in RAM but a file of the same name already exists. If you want to write over it, thus destroying (killing) the file, type "yes." If you want to save the existing file, type "no" and the Aid program will end.

If your output file will be on cassette, the program cannot check to see if a file of the same name exists. It is up to you to insert the appropriate cassette in your recorder.

At this point, the Aid program starts to process your file. When it is done, it

will ask you to rewind the cassette if either your input or output file was on cassette:

Set recorder to REWIND; press ENTER?
Set your recorder to rewind and press
the ENTER key on the Model 100.
The cassette will begin to rewind.

Press ENTER when rewinding is done?
When the cassette has been completely rewound, press the ENTER key again.

The word OK tells you that the Aid program is done. Load the output file (F@@xxx) and make sure it is correct.

Extraneous Carriage Returns

The Aid program detects an extraneous return by noticing that a BASIC line begins with a non-numeric character. This technique will not identify an extra carriage return if the return precedes a number such as the line number after GOTO. After the Aid program has finished, load the output file from BASIC. Any extra carriage returns which precede numbers will be flagged with "UL" errors. If you get any, list the program while in BASIC. The last line listed is the one containing the error. Use TEXT to delete the carriage return, and try again.

Program Description

The program is listed below. Each section is preceded by a brief comment. The first section clears string space and controls the flow of logic through the other sections.

The second section displays the title and gets the name of the file to be processed. It performs another section, if necessary, to get the output device. It then displays the name of the output file. If the output device is RAM, it calls a routine to check whether the output file already exists. It then opens the input and output files.


The section entitled "Process a Line" reads the input file one line at a time. Each line is checked for the Model II's control J: a string of the three hexadecimal characters 0A 0D 0A. If found, they are replaced by blanks. To handle excess carriage returns, the line's first character is checked to see whether it is numeric. If not, it is assumed to be a continuation of the prior line. If an extra carriage return happens to precede a number (such as the line number following a GOTO), this technique will

not identify it as an extra carriage

The last two sections rewind the cassette when necessary, and display the error message.

The variables used in the program are listed below. Please note that all variables beginning with "I" are integers and all those beginning with "S" are strings.

BASIC PROGRAM * 11 General-purpose integer variable 30 REM * WRITTEN BY GUERRI F. STEVENS IS Switch for testing existence of a RAM file with the same name as the output file SF Source file name 40 REM * GENERAL BUSINESS SYSTEMS SG General-purpose string variable , INC. SL Program line being processed 50 REM ****************** SN Source file name without device prefix SO Output file name 60 CLEAR 1000 SP Prior program line 70 MAXFILES=2 ST File type code: 80 DEFSTR S C = cassette input, RAM output 90 DEFINT I R = RAM input, RAM output 100 GOSUB 210 T = RAM input, cassette output 110 IF IS>0 THEN END X = RAM input, output not yet known 120 IF NOT EOF(1) THEN GOSUB 1010: GOTO SV 3-character string representing Model II control J 120 The listing: 130 IF SP(>"" THEN PRINT #2,SP 10 REM ****************** 140 CLOSE *********** 150 IF ST<>"R" THEN GOSUB 1130 20 REM * REMOVE EMBEDDED LINE FEEDS FROM



160 END

```
170 'SKIP3
                                            700 IF IS=0 THEN RETURN
180 REM ********
                                            710 CLOSE
190 REM * INITIALIZE *
                                            720 PRINT
                                           730 PRINT "File "; SO; " already exists."
200 REM *********
210 CLS
                                           740 SG=""
                                           750 IF SG]"" THEN GOSUB 900: GOTO 750
220 PRINT TAB(14); "Download Aid"
                                           760 IF SG="NO" THEN PRINT CHR$(27); "pJob
230 PRINT
240 SV=CHR$(10)+CHR$(13)+CHR$(10)
                                            terminated"; CHR$(27); "q" : RETURN
                                           770 ISJ0
250 SF=""
260 IF SF="" THEN GOSUB 410: GOTO 260
                                           780 KILL SO+".DO"
                                           790 RETURN
270 SO=""
280 IF ST="X" THEN GOSUB 560: GOTO 280
                                           800 'SKIP3
290 SO=SOP"F@@"
                                           810 REM ****************
300 IF LEN(SN) <4 THEN SO=SO+SN ELSE SO=S
                                           820 REM * NON-EXISTENT FILE IS OK *
O+LEFT$(SN,3)
                                           830 REM ***************
                                           840 IF ERR=52 THEN IS=0 : RESUME NEXT
310 PRINT "Output file name is "; SO;
310 PRINT "Output file name is ";SO; 840 IF ERR=52 THEN 320 IF ST="T" THEN PRINT ELSE PRINT ".DO 850 ON ERROR GOTO 0
                                            860 'SKIP3
" : GOSUB 660
                                           870 REM ***********
330 IF IS>0 THEN RETURN
340 OPEN SF FOR INPUT AS 1
                                           880 REM * KILL OLD FILE? *
                                          890 REM ***********
350 OPEN SO FOR OUTPUT AS 2
                                          900 INPUT "Do you want to kill it";SG
910 IF SG="yes" THEN SG="YES" : RETURN
360 RETURN
370 'SKIP3
                                           920 IF SG="no" THEN SG="NO" : RETURN
380 REM **********
                                           930 IF SG="YES" OR SG="NO" THEN RETURN
390 REM * GET FILE NAME *
                                           940 SG]""
400 REM **********
                                           950 GOSUB 1220
410 ST="X"
420 LINEINPUT "File Name: ":SF
                                           960 RETURN
                                          970 'SKIP3
430 IF SF="" THEN GOSUB 1220: RETURN
                                          980 REM ***********
440 I1=G(SF,":")
                                           990 REM * PROCESS A LINE *
450 IF I1=0 THEN SN=SF : RETURN
460 IF I1<>4 OR LEN(SF)=4 THEN SF="" : G
                                           1000 REM ***********
OSUB 1220: RETURN
                                           1010 LINEINPUT #1.SL
470 SG=LEFT$(SF, I1-1)
                                           1020 IF LEN(SL)=0 THEN RETURN
480 SN=RIGHT$(SF, LEN(SF)-4)
                                           1030 I1=INSTR(SL,SV) : IF I1>0 THEN MID$
490 IF SG="RAM" OR SG="ram" THEN RETURN
                                          (SL,I1)=" " : GOTO 1030
500 IF SG="CAS" OR SG="cas" THEN ST="C"
                                           1040 I1=ASC(LEFT$(SL,1))-48
ELSE SF="" : GOSUB 1220
                                           1050 IF I1<0 OR I1>9 THEN SP=SP+SL : RET
510 RETURN
                                            URN
520 'SKIP3
                                           1060 IF SP<>"" THEN PRINT #2.SP
530 REM ****************
                                           1070 SP=SL
540 REM * ASK ABOUT CASSETTE OUTPUT *
                                            1080 RETURN
                                            1090 'SKIP3
550 REM ***************
560 SG=""
                                            1100 REM ************
                                            1110 REM * REWIND CASSETTE *
570 INPUT "Output on <C>assette or in <R
                                            1120 REM ***********
                                           1130 INPUT "Set recorder to REWIND; pres
580 IF SG]"R" OR SG="r" THEN ST="R" : RE
TURN
                                            s ENTER" ; SG
590 IF SG="C" OR SG]"c" THEN ST="T" : SO
                                           1140 MOTOR ON
="CAS:" : RETURN
                                            1150 INPUT "Press ENTER when rewinding i
600 GOSUB 1220
                                            s done";SG
610 RETURN
                                            1160 MOTOR OFF
                                            1170 RETURN
620 'SKIP3
                                           1180 'SKIP3
630 REM ***************
                                           1190 REM ***************
640 REM * TEST EXISTING OUTPUT FILE *
                                           1200 REM * DISPLAY ERROR MESSAGE *
650 REM ***************
                                            1210 REM ***************
660 ON ERROR GOTO 840
                                           1220 PRINT TAB(5); CHR$(27); "p***** ERROR
670 IS=1
                                            - RETRY *****"; CHR$(27); "q"
680 OPEN SO FOR INPUT AS 1
690 ON ERROR GOTO 0
                                            1230 RETURN
```

PCM

Let's Go Spelunking But Watch Out For The Wumpus

by Vincent Lord

umpus is a nice little creature who just loves to take you on a spelunking adventure through a maze of 36 caves all interconnected by means of three passageways from each cave to three more caves. You must crawl through mud, dust, water, and total darkness to travel from one cave to the next. Your senses will guide you and forewarn you. For instance, if you feel a draft, then watch out, for you are one cave away from a bottomless pit which will swallow you up, and we will never hear from you again. If your hearing is good, then you'll recognize the high pitch chirping sound as coming from bats one cave away. The bats will become groupies with enough power to lift you up and transfer you to another section of the caves. Watch where you are going. It's best to avoid these pitfalls, but sometimes you just can't.

The object, of course, is to meet our travel host on your terms. He is rather obnoxious in both smell (you can smell him up to two caves away) and behavior. Try not to stumble across his path, wake him up, or, when you think you

570 C1(X,Y)=R(C(X,Y)):NEXTY,X

have him in sight, shoot at him and

Now for the details. After typing RUN, wait for several minutes for the random number generator to fill the matrices (lines 9990-9996). You will see a notice of which cave you are in and the three caves joining. Keep track of this information. To move one cave away (to one of the three caves listed) simply type in the adjoining cave number (1 to 36). You can move up to three caves by typing the cave numbers separated by commas. When you think you have finally located our stinky friend, you may shoot at him by typing "S" and

the cave number(s)—up to three away. If you get him, well, what can I say but your next adventure should be as a guide in the backwoods of New York City; however, if you miss, then it's rough sailing. You may never find yourself as the wumpus carries you through the caves upsetting all the creatures living there and causing them to move on. The program was adapted for the M100 from an original program run on the DEC10 and created by my good friend and gamesman George Ellsworth in Attica, Indiana. My thanks to him for the basic program structure and permission to modify his program.

The listing:

500 CLEAR 300 510 DIMC(36,3),C1(36,3),R(36),B\$(36),P\$(36), W\$ (36), I(6) 515 AR=5 520 FOR X=1 TO36:FOR Y=0TO3:READC(X,Y):N EXTY, X 530 FOR X=1T036 540 GOSUB9990: A=INT(37*DU): IFR(A)=0 THEN R(A) = X ELSE540 550 NEXTX 560 FOR X=1T036:FORY=0T03

```
576 FORX=1T036:P=C1(X,0)
578 FOR Y=0T03:C(P,Y)=C1(X,Y)
580 NEXTY, X
590 FORX=1T05
600 GOSUB9990:B=R(INT(31*DU)):IFB$(B)>""
THEN600
610 B$(B) = "BATS"
620 GOSUB9990:P=R(INT(31*DU)):IF P$(P)>"
"THEN 620
630 P$(P) = "PIT" : NEXT X
640 GOSUB9990: W=INT(7*DU): W$(R(W))="WUMP
650 FORXP=1 TO 40:GOSUB9990:L=R(INT(7*DU
```

```
) + 30)
660 IF P$(L)+B$(L)+W$(L)>""THEN 690
670 GOSUB 1500
680 IF P$+W$+B$=""THEN700
690 NEXT XP: GOTO500
700 CLS:PRINT"you are in cave # ";L
710 PRINT"You have passageways to:"
720 FORX=1TO3:PRINTC(L,X)::NEXT X
730 GOSUB 800:GOSUB 1500
750 PRINTB$:PRINTP$:PRINT W$
760 GOTO1000
800 IF T=0 THEN RETURN
810 PRINT"The WUMPUS is awake!!"
820 FORX=1 TO 36:IF W$(X)="WUMPUS" THEN
W$(X)="":GOTO 840
830 NEXT X:STOP
840 GOSUB9990:M=INT(4*DU):X1=C(X,M):IF X
1=L THEN CLS: GOTO880
850 IF C(X1,M)<>X THEN X=C(X1,M) ELSE X=
870 IF X<>L THEN 890
875 CLS
880 PRINT"THE Wumpus FOUND YOU AND":PRIN
T"HAD YOU FOR LUNCH": GOTO 9050
890 W$(X)="WUMPUS":GOSUB9990:IFINT(11*DU
)>6 THEN T=0
900 IF AR>0 AND T=0 THEN PRINT"THE Wumpu
s HAS GONE BACK TO SLEEP"
905 IF AR>0 THEN PRINT"YOU HAVE "AR"ARROW
S LEFT": RETURN
910 PRINT"AND YOU'RE OUT OF ARROWS. THE
Wumpus IS AWAKE, AND YOU ARE HELPLESS.
IT'S ONLY A MATTER OF TIME..."
920 GOTO 880
1000 H$="":FORZ=1TO6:I(Z)=0:NEXTZ:Z=0:GT
1010 PRINT"PLOT YOUR STRATEGY: "
1020 A$=INKEY$: IF A$=""THEN GOTO 1020
1030 IF A$<>CHR$(29) THEN PRINTA$;
1040 IF A$="S" AND GT=0 THEN GT=2:GOTO 1
1050 IF A$="M" AND GT=0 THEN GT=1:GOTO 1
020
1070 IF A$=CHR$(13) THEN 1120
1080 IF ASC(A$)>47 AND ASC(A$)<58 THEN 1
1090 IF ASC(A$)=32 OR ASC(A$)=44 THEN IF
H$>"" THEN 1120 ELSE 1020
1100 PRINT"BAD INPUT--TRY AGAIN": PRINT"
 ": GOTO 1000
1110 H$=H$+A$: IF GT=0 THEN GT=1
1115 GOTO 1020
1120 Z=Z+1:I(Z)=VAL(H$):H$="":IF Z<>5 AN
D A$<>CHR$(13) THEN 1020
1200 IF I(1)=777 THEN 2000
1205 ON GT GOTO 1210,1350
1210 FORX=1TO6: IFI(X)=0 THEN 700
1220 FOR C=1TO3: IF C(L,C)=I(X) THEN L=I(
X):GOSUB 1250:GOTO1240
1230 NEXTC: CLS
```

```
1235 PRINT"YOU'RE LOST! YOU CAN'T GET":
PRINT"THERE FROM HERE. NOW YOU'RE": PRIN
T"WANDERING THRU CAVES: ": GOTO1600
 1240 NEXT X
1250 IF W$(L) = "WUMPUS" THEN CLS: PRINT"YO
U FOUND THE Wumpus AND HE": PRINT"ATE YOU
 FOR BREAKFAST!": GOTO 9080
1260 IF P$(L)="PIT" THEN CLS:PRINT"YOU F
ELL INTO A BOTTOMLESS PIT! ": PRINT" BYE..
 .";:GOTO 9000
 1270 IF B$(L)<>"BATS"THEN RETURN
1280 CLS:PRINT" A GIANT BAT HAS YOU "::P
 RINT" IN HIS GRASP! ":
 1295 B$(L)=""
 1300 GOSUB9990:B=INT(37*DU):IF B$(B)="BA
 TS" THEN 1300 ELSE B$(B) = "BATS"
1305 GOSUB9990:L=INT(37*DU): IF B$(L)="B
 ATS" THEN 1305
 1310 PRINT"HE DROPPED YOU IN CAVE"L:
 1315 FOR J=1 TO 1000:NEXT J
 1320 GOSUB1250:GOTO700
 1350 LA=L:AR=AR-1:T=1
1360 FORX=1TO6: IF I(X)>0 THEN 1370 ELSE
 CLS
 1365 PRINT"YOU MISSED HIM": GOTO700
 1370 IF X<5 THEN IF I(X)=I(X+2) THEN CLS
 :PRINT"ARROW DAMAGED BY FULL REVERSE":PR
 INT"AT CAVE #"I(X+1)"! DEVICE NOW BACK":
 PRINT"TRACKING! LOOKOUT...":PRINT:LA=L:
 GOT01415
 1380 FOR C=1TO3: IF C(LA,C)=I(X) THEN LA=
 I(X):GOTO1430
 1390 NEXTC: CLS: PRINT"YOU PLOTTED AN IMPO
 SSIBLE"
1395 PRINT"ROUTE WITH YOUR ARROW. IT IS"
 1400 PRINT"NOW RUNNING AMUCK THRU CAVES"
1405 FORC=X TO 5: GOSUB9990:X=INT(4*DU):
 LA=C(LA,X):PRINT LA;
1408 FOR Q=1 TO 800: NEXT Q
1410 IF W$(LA)="WUMPUS" THEN CLS:PRINT"T
 HE WUMPUS WAS IN CAVE"LA, "YOU GOT HIM!":
 GOTO 8000
 1413 IF LA=L THEN CLS ELSE 1420
 1415 PRINT"YOUR ARROW RETURNED TO YOUR":
 PRINT"CAVE AND SHOT YOU! (OOPS...) ": GOTO
 9000
 1420 NEXT C: GOTO1365
 1430 IF W$(LA)="WUMPUS" THEN 1410
 1435 IF LA=L THEN 1413
 1440 NEXT X:STOP
 1500 P$="": B$="": W$=""
 1505 IF AR=0 THEN 910
 1510 FOR X=1T03
 1520 IF B$(C(L,X))="BATS"THENB$="I HEAR
BATS"
1530 IF P$(C(L,X))="PIT"THENP$="I FEEL A
  DRAFT"
1540 IF W$(C(L,X))="WUMPUS" THEN W$="I S
 MELL THE WUMPUS"
 1550 Y=C(L,X):FOR Z=1T03
```

```
1560 IF W$(C(Y, Z)) = "WUMPUS" THEN W$="I S
MELL THE WUMPUS"
1570 NEXT Z, X
1580 RETURN
1600 FOR X=1T05
1610 GOSUB9990:L=C(L,INT(4*DU)):PRINT L;
1620 FOR B=1 TO 1500: NEXT B: GOSUB 1250
1630 NEXT X
1640 GOTO700
2000 CLS: CK=0: PO=0: FORX=1 TO 36
2010 PRINT@PO,CHR$(138);X;R(X);:PO=PO+8:
CK = CK + R(X)
2020 NEXTX: PRINTCK: CK=0
2023 FORX=1T036:FORY=0T03:CK=CK+C(X,Y)
2025 NEXTY, X: PRINTCK, 666*4
2030 IF INKEY$="" THEN 2030
2035 Y=1: Z=12
2040 CLS:FORX=Y TO Z
2050 PRINTX; B$(X); P$(X); W$(X)
2060 NEXTX
2065 IF INKEY$="" THEN 2065
2070 Z=Z+12:Y=Y+12:IF Z>36 THEN 700
2080 GOTO 2040
5000 DATA 1,2,6,9,2,1,11,3,3,2,13,4,4,3,
15,5,5,4,17,6,6,5,7,1,7,8,6,18,8,9,21,7,
9,8,1,10
5010 DATA 10,9,23,11,11,10,2,12,12,11,25
,13,13,12,3,14,14,13,27,15,15,14,4,16,16
,15,29,17,17,16,5,18
5040 DATA 18,17,19,7,19,30,18,20,20,19,3
2,21,21,20,8,22,22,21,33,23,23,22,10,24,
24,23,34,25,25,24,12,26
5060 DATA 26,25,35,27,27,26,14,28,28,27,
36,29,29,28,16,30,30,29,31,19,31,30,32,3
6,32,31,20,33,33,32,22,34
5080 DATA 34,33,24,35,35,34,26,36,36,35,
28,31
8000 PRINT"CONGRADULATIONS"
8010 FOR P=1 TO 1000:NEXT P
8900 MENU
9000 REM PIT OR SHOT SELF
9010 PS=PS+1
9020 ON PS GOTO 9025,9030,9035
9025 PRINT"THAT'S ONE...": GOTO 9040
9030 PRINT"THAT'S TWO...": GOTO 9040
9035 PRINT"THAT'S THREE!!!":GOTO 9050
9040 FOR X=1 TO 1000: NEXTX: GOTO 650
9050 PRINT"BEING EATEN IS FINAL": FOR X=1
TO 1200: NEXTX
9080 CLS:PRINT"GAME OVER";:FOR X=1TO 120
Ø: NEXTX
9090 PRINT" ": PRINT"
9095 MENU
9990 REM random number generator
9991 SEC=VAL(RIGHT$(TIME$,2))
9992 FOR I=1TOSEC STEP 9
9993 DUMMY=RND(1)
9994 NEXT I
9995 IF DUMMY<1/37 THEN 9990
9996 RETURN
                                      PCM
```



MAIL TO: YORK 10 Computerware

ITEM	1 DOZEN	2 DOZEN	TOTAL
C-06	7.00	13.00	
C-12	7.50	14 00	
C-24	9.00	17.00	
Hard Box	2.50	4 00	
Blank labels	3.00/100	20.00 /1000	
Storage Caddy	@ \$2.95 ea. Oty		
Flexi-Disc	26.95/10	120.00/50	
MICRO CASS.	1 DOZEN	2 DOZEN	
MC-10	□ 16.50	32.50	
MC-20	18.00	34 50	
MC-30	19.00	□ 36.00	
		SUB TOTAL	
Calif. residents a	dd sales tax		
SHIPPING/HANDL	ING Any quantity	(except 500 special)	3.50
	ental States-Add ; per doz. boxes;	itional \$1 per caddy; per 10 discs	
		TOTAL	

Each std. cassette includes two YORK 10 labels only. Boxes are sold separately. We prefer to ship by UPS as being the fastest and safest. If you need ship-ment by Parcel Post, check here

NOTE: Additional charges outside 48 Continental States Shipments to AK, HI, and USA possessions go by Priority Mail: Canada & Mexico-Airmail: All others- Sea Mail

	TOTAL	
Check or M.O. Charge to enclosed Credit Card: V	ISA MASTERCARD	#P3
Card No.		Exp
Name		
Address		
City	State/Zip	
Signature	Phone_	
Computer make & model		0isk? (v/n)

31

Prevent damage to your cassette plugs with this . . .


Homemade PoCo To CCR Cable

By William T. Stauffer

adio Shack has done an outstanding job in the design of the PoCo and its peripherals. The System Briefcase has been designed in such a manner as to permit operation of the system (PoCo and cassette tape recorder) without removing them from the briefcase; however, there is one drawback—when the cassette recorder cable is plugged into the cassette recorder, the plugs extend to the outside of the briefcase and could cause damage to the case if it is closed with the cassette recorder connected. The obvious solution to this problem is the use of low profile plugs which, to my knowledge, are not available. Since the required plugs are not readily available, an alternative solution is to make them-in fact, why not combine the three plugs into one unit-a "tri-plug"?

Following this line of thinking, and with a close study of the Radio Shack catalog, I devised and built a new PoCoto-CCR cable. The details of the fabrication of the cable, with referenced Radio Shack catalog part numbers, follow:

- 1) Prepare two 1/8" miniature phone plugs (274-286) and one 3/32" submini phone plug (274-289) by removing the cover, bending off the ground lug (the long lug connected to the threaded portion of the plug), and cutting off the center lug to leave approximately 1/8".
- 2) Insert the miniature plugs into the "EAR" and "AUX" jacks of the CCR-81 and the submini plug into the "REM" jack.
- 3) Cut a piece of printed circuit board (276-1586) 2" x ¾", Figure 1.
- Scribe a center line on the printed circuit board.



5) Locate hole centers corresponding to the centers of the "EAR," "AUX," and "REM" jacks of the CCR-81 on the center line. These dimensions are ½" between the "REM" and "AUX" and ¹³/₁₆" between the "AUX" and "EAR."

NOTE: These dimensions are for the Radio Shack CCR-81. If you are using the cable with another type of cassette tape recorder such as the Radio Shack CTR-80, check the hole centers and drill your board accordingly.


- 6) Drill %"holes for the "AUX" and "EAR" plugs and ¼" hole for the "REM" jack. An easier way to do this is to drill pilot holes on each of the centers and ream the holes for a snug fit on the plugs when they are inserted into their respective jacks. Don't worry too much if the fit is not exact, we'll take care of that when we connect the plugs.
- 7) Cut the copper conductor of the printed circuit board midway between the "REM" and "AUX" plug holes. This

may be accomplished by making two cuts approximately \$^1/16''\$ apart with a sharp knife and peeling off the conductor between the cuts. Make sure that the cut is complete and there is no conductivity between the opposite ends of the board.

- 8) Clean the copper side of the board and tin the entire surface.
- 9) Place the printed circuit board over the plugs inserted into their jacks on the CCR-81 and with the clad side of the board out.
- 10) Carefully solder the printed circuit board to the plugs. Use a soldering gun or high wattage soldering iron and do not apply heat any longer than necessary to preclude melting of the cassette tape recorder case.
- 11) Cut three lengths of miniature shielded cable (278-752) 17" long.
- 12) Prepare one end of each of these cables by stripping the cover \(^{3}\%''\) from the end, pull out and twist the shield, and strip the center conductor \(^{1}\%''\) inch from the end.
- 13) Tin the shield and the center conductor of each cable.
- 14) Connect and solder the center conductor of each cable to the center connection of the plugs. This is easily accomplished by placing the tinned cable center conductor under the short lug, bending the lug over the wire, and then soldering the connection. During this step be very careful not to "bridge" the plug center connection to the outside connection.
- 15) Dress the "EAR" cable along the printed circuit board away from the "REM" plug and solder the cable shield to the printed circuit board adjacent to the plug.

- 16) Repeat step 15 for the "AUX" and "REM" cables.
- 17) When you are finished with step 16, you should have all three cables fanned out from the "EAR" end of your board, the shields of the "EAR" and "AUX" cables should be soldered to the same area on the printed circuit board, and the shield of the "REM" soldered to the isolated end of the printed circuit board. At this time, mark each cable to facilitate connector hook-up, steps 24 through 28.
- 18) Twist the cables together. This is most easily accomplished by holding the "EAR" and "AUX" cables in each hand. Hold the cables high enough for the connectors and "REM" cable to clear the floor and then gently twist the two cables in opposite directions. After the "EAR" and "AUX" cables are together, dress the "REM" cable around them.
- 19) Cut all of the cables to equal length.
- 20) Strip the cover from each cable \(^3\)/4" from the end, pull out and twist the shield, and strip the center conductor \(^1\)/8" from the end.
- 21) Tin the center conductors. Do not tin the shields at this time.

- 22) Remove the cover from a 5-pin DIN Audio/Video Plug (274-003).
- 23) Insert the three cables through the plug cover.
- 24) Referring to Figure 2, solder the center conductor of the "EAR" cable to pin 4 of the DIN plug, and the center conductor of the "AUX" cable to pin 5.



- 25) Twist the shields of the "EAR" and "AUX" cables together, tin them, cut them to appropriate length, and solder them to pin 2.
- 26) Solder the center conductor of the "REM" cable and tin it.

- 27) Twist the shield of the "REM" cable and tin it.
- 28) Cut the "REM" cable shield to appropriate length and solder it to pin 1.
- 29) Inspect your connections very carefully to assure that none of the connections are "shorted."
 - 30) Reassemble the DIN plug.


When connecting the DIN plug as outlined in steps 24 through 28, it is preferable to insulate the terminals using a \(^{4}\)" length of shrink tubing on pins 3, 4, and 5 and \(^{8}\)" length on pin 1; however, if the "REM" shield is tinned adequately to provide enough "stiffness" to hold the shield away from the other connections, it is not necessary.

The parts specified above are referenced to the Radio Shack catalog and its substitute parts may be used. As an example, you will use approximately 4½ inches of shielded cable from a 30 foot roll, leaving quite a bit left over!

After you have finished this little project, you will have a new PoCo to cassette tape recorder cable which will allow you to leave the recorder attached while the system is in its briefcase.

I hope you enjoy your PoCo and that this addition will give you additional enjoyment due to its added convenience.

Plot Against Your Competition! with QuickPlot®



We've just given the CGP-115 Color Plotter business status. With Quick-Plot, your TRS-80 or IBM-PC can produce high quality line-, bar-, and pie-charts in vivid color. Simple data entry and flexible chart formatting makes QuickPlot and the CGP-115 Color Plotter the logical choice for the professional who wants to **plot** his profits—not spend them.



Complete QuickPlot Package Includes: Bar Chart, Pie Chart, and Line Graph. Data and chart formats save to disk for future plotting.

 Model II/12/16
 \$89

 Model III/4
 \$89

 Model 100
 \$49

 IBM-PC/XT
 \$89

TRS-80 and CGP-115 are registered trademarks of Tandy Corporation. PC and PC/XT are registered trademarks of IBM Corporation.

Now you have a friend in the software business.



901 Embassy Square Blvd. Louisville, KY 40299 (502) 491-6122

Call or write to place your order or send for free information

CREATE 'LETTER PERFECT' TEXT FILES WITH THIS

FORMAT PROGRAM

By Gary A. Sissala

I hortly after purchasing my 24K M100 I realized that printing out text files was too awkward and cumbersome. I had to connect the M100 up to a desktop computer, load the desktop's communications software, transfer the file from one computer to another, load the desktop's word processor, load the file into it and set the print parameters for printout . . . all this for only a two-page letter. The alternative was to use the print routine in the M100 which allows you to set only line length, but not page length, double or triple spacing, and left margins. To print out an acceptable letter requires all of these. For this reason I decided to write my own print format program for the M100.

First, I chose the things I wanted the program to handle: page size, number of printed lines, line length, line spacing and left margin. I wrote the program in BASIC, and when finished, it occupied just 6K of RAM storage, leaving more than enough RAM for other files.

The program is comprised of two sections. The first, lines 10—2780 and 10000—10600, deals with screen setup and input of the text's filename along

with any changes to the print format parameters. The second, lines 3000—9140, handles the actual printing of the file.

When running the program, you enter the first section, where the parameters, commands, and the input line message are displayed on the LCD screen. You then have several options. You can change any of the print format parameters, enter the filename, proceed to print or end the session.

The print format parameters are page length (PL), printed lines per page (LP), line spaces (LS), line length (LL), and left margin (LM). To change a print parameter just type in the two letter code followed by the new parameter. After you press ENTER, the new parameter will appear on the display. Note that all commands and filenames must be in capital letters.

To input the filename type Control F and the input line will change to "Enter Command." To exit the program from the display type Control E.

To print the text file type Control P. The message "Printing" will appear above the input line and, after a moment's delay, the program will begin

printing the file. Note that you must have a filename entered on line five of the display before printing can commence.

After Control F has been entered, the program advances to the second section of the program, which handles the actual printing of the text file. This section inputs one character at a time building the line to be printed and checks for carriage returns, tabs, and EOF which activate various routines in this section.

Special features include suppression of leading spaces, allowance for tabulated columns and advancement to the top of the next page. An error trapping routing is used to catch bad filenames. This routine will allow you to reenter the filename if an error occurs. Finally, when the program is through printing your text file, the M100 will beep once and the "Printing" message will disappear.

This program will expand the utility of the M100 for students and others who wish formated text printouts and do not have access to a desktop computer, or those who need to print out small text files and wish to avoid the inconvenience of hooking up to their desktop.

```
The listing:
10 CLS
20
  ***********
30
      PRINT FORMAT PROGRAM FOR M100
40
          BY GARY A. SISSALA
50
             2732 JERSEY AVE SO
             ST. LOUIS PARK, MN 55426
60
70
             (612) 922-4716
80
             JUNE 1983
   ************
      DEFAULT VALUES
   ************
130 PL%=66:
             PAGE LENGTH
```

```
140 LP%=50:
               LINE PRINTED PER PAGE
150 LS%=1:
               LINE SPACES
160 LL%=60: '
               LINE LENGTH
170 LM%=0:
               LEFT MARGIN LENGTH
200 '*****************
210 '
       SCREEN SETUP
    ***********
230 PL$="PL"+MID$(STR$(PL%),2,5)+" ":LP$
="LP"+MID$(STR$(LP%),2,5)+" ":
240 LL$="LL"+MID$(STR$(LL%),2,5)+" ":LS$
="LS"+MID$(STR$(LS%),2,5)+" ":
250 LM$="LM"+MID$(STR$(LM%),2,5)+" ":
260 PRINT@10, "PRINT FORMAT PROGRAM";
270 PRINT@40, "(PL1-66) -----": PRINT@60,
```

```
"(LP1-66)----":
                                            2340 PRINT@74.LP$:
280 PRINT@80,"(LL1-80)-----":PRINT@100
                                           2350 CL$=""
."(LS1-3)----";
                                           2360 PRINT@301, SPACE$(10);
290 PRINT@120,"(LM0-20)----":PRINT@14
                                          2370 GOTO 1030
Ø."(CTRL-P) TO PRINT":
                                           2400 T$=MID$(CL$,3,2)
300 PRINT@160, "FILENAME (CTRL-F)>--":
                                         2410 IF VAL(T$)<1 OR VAL(T$)>80 THEN GOT
310 PRINT@212,"(CTRL-E) TO EXIT
                                          0 2090
320 PRINT@54,PL$:PRINT@74,LP$:
                                          2420 LL%=VAL(T$)
330 PRINT@94, LL$: PRINT@114, LS$:
                                          2430 LL$="LL"+MID$(STR$(LL%),2,5)+" "
340 PRINT@134.LM$:
                                          2440 PRINT@94,LL$:
350 PRINTe280, "ENTER COMMAND>----";
                                           2450 CL$=""
400 '*****************
                                           2460 PRINT@301, SPACE$ (10);
       SET UP ARRAY
                                           2470 GOTO 1030
420 '******************
                                            2500 T$=MID$(CL$,3,1)
430 FOR TA%=2 TO 6
                                           2510 IF VAL(T$)<1 OR VAL(T$)>3 THEN GOTO
                                            2090
440 READ CC$ (TA%)
                                           2520 LS%=VAL(T$)
450 NEXT TA%
                                           2530 LS$="LS"+MID$(STR$(LS%),2,5)+" ":
460 RESTORE: GOTO 1000
500 DATA "PL", "LP", "LL", "LS", "LM"
                                           2540 PRINT@114.LS$:
1000 '*******************
                                           2550 CL$=""
                                           2560 PRINT@301, SPACE$(10);
1010 ' PROCESSING ANCHOR
1020 '****************
                                           2570 GOTO 1030
                                           2600 T$=MID$(CL$,3,2)
1030 GOSUB 10000
                                           2610 IF VAL(T$)<0 OR VAL(T$)>20 THEN GOT
2000 '******************
2010 ' COMMAND CHECK
                                           0 2090
2020 '****************
                                           2620 LM%=VAL(T$)
                                           2630 LM$="LM"+MID$(STR$(LM%),2,5)+" ":
2030 PRINT@260, SPACE$(15);
2040 FOR AP%=2 TO 6
                                           2640 PRINT@134.LM$:
                                           2650 CL$=""
2050 FL%=1
2060 IF MID$(CL$,1,2)=CC$(AP%) THEN FL%=
                                         2660 PRINT@301, SPACE$(10);
                                           2670 GOTO 1030
2070 ON FL% GOTO 2080,2200,2300,2400,250
                                          2700 PRINT@280, "Enter Filename>----";
                                           2710 GOSUB 10000
0,2600
                                           2720 FN$=CL$
2080 NEXT AP%
2090 PRINT@240." SYNTAX ERROR-PRESS ENT
                                           2730 CL$=""
ER TO CONTINUE"
                                           2740 PRINT@301, SPACE$(15);
2100 CL$=""
                                           2750 PRINT@180, SPACE$(15):
2110 E$=INKEY$: IF E$="" THEN GOTO 2110
                                           2760 PRINT@180, FN$;
2120 IF E$=CHR$(13) THEN GOTO 2130 ELSE
                                           2770 PRINT@280, "ENTER COMMAND>----";
                                           2780 GOTO 1030
GOTO 2110
                                           3000 '******************
2130 PRINT@240, SPACE$ (39);
                                           3010 'ZERO VARIABLES AND OPEN FILE
2140 PRINT@301, SPACE$(15);
2150 GOTO 1030
                                           3020 '*****************
2170 ********************
                                           3030 AL%=0:TF%=0:IS%=0:T%=0:B$="":IS$=""
2180 ' COMMAND PROCESSING
                                           : NL % = 0:
2190 '*****************
                                           3040 ON ERROR GOTO 9000
2200 T$=MID$(CL$,3,2)
                                           3050 OPEN FN$ FOR INPUT AS 1
2210 IF VAL(T$)<1 OR VAL(T$)>66 THEN GOT
                                           3060 PRINT@240, SPACE$(39);
0 2090
                                           3070 PRINT@240, "PRINTING";
                                           3100 '****************
2220 PL%=VAL(T$)
2230 PL$="PL"+MID$(STR$(PL%),2,5)+" ":
                                           3110 'INPUT DATA CHARACTER AND CHECK
2240 PRINT@54, PL$:
                                          3120 ' FOR EOF, TAB, ENTER, LEADING
                                          3130 ' SPACES AND LINE LENGTH
2250 CL$=""
                                           3140 '*****************
2260 PRINT@301, SPACE$(10);
2270 GOTO 1030
                                          3150 ON ERROR GOTO 12000
2300 T$=MID$(CL$,3,2)
                                          3200 IF NOT EOF(1) THEN IS$=INPUT$(1,1)
                                           ELSE GOTO 6300
2310 IF VAL(T$)<1 OR VAL(T$)>66 THEN GOT
0 2090
                                           3210 IF IS$=CHR$(13) THEN GOTO 3500
                                           3220 IF IS$=CHR$(9) THEN TF%=TF%+(8-((AL
2320 LP%=VAL(T$)
2330 LP$="LP"+MID$(STR$(LP%),2,5)+" "
                                           %+TF%)MOD8))
```

```
3230 IF AL%=0 AND IS$=CHR$(32) THEN GOTO
                                          6130 FOR T%=1 TO (LS%-1)
 3200
                                           6140 LPRINT
3240 B$=B$+IS$: AL%=AL%+1
                                           6150 NL%=NL%+1
3250 IF (AL%+TF%)=>(LL%+1) THEN GOTO 400
                                          6160 NEXT T%
0 ELSE GOTO 3200
                                           6200 '**** PAGE BREAK **********
                                          6210 IF NL% (LP% THEN GOTO 6300
3500 IS$=INPUT$(1.1)
                                           6220 FOR T%=1 TO (PL%-NL%)
3510 IF AL%=0 THEN LPRINT ELSE GOTO 4000
3520 GOTO 6000
                                           6230 LPRINT
4000 '*****************
                                           6240 NEXT T%
4010 ' LINE LPRINT
                                           6250 NL%=0
4020 ******************
                                          6300 '**** CHECK FOR EOF ********
4030 IF LEN(B$)=0 THEN GOTO 6300
                                          6310 IF NOT EOF(1) THEN GOTO 3200
                                           6320 IF LEN(B$)>0 THEN LPRINT SPACE$(LM%
4040 IF AL%+TF%<=LL% THEN GOSUB 4500 ELS
E GOTO 4100
                                           )+B$ ELSE GOTO 6340
4050 GOTO 6000
                                           6330 NL%=NL%+1:B$="":
4100 '**** FIND LAST SPACE IN B$ *****
                                          6340 IF NL%=0 THEN GOTO 6380
4110 SP%=0
                                          6350 FOR T%=1 TO (PL%-NL%)
4120 FOR T%=LEN(B$) TO 1 STEP -1
                                          6360 LPRINT
4130 SP%=INSTR(T%, B$, CHR$(32))
                                          6370 NEXT T%
                                          6380 PRINT@240, SPACE$ (39)
4140 IF SP%=0 THEN NEXT T% ELSE T%=0 6380 PRINT@240,SPACE$(39)
4150 IF SP%=0 THEN GOSUB 4500 ELSE GOSUB 6390 BEEP:CLOSE:GOTO 1030
4140 IF SP%=0 THEN NEXT T% ELSE T%=0
 4700
                                           9000 ******************
4160 IF LEN(B$) = 0 THEN GOTO 6000 ELSE GO
                                           9010 ' FILENAME ERROR
                                           9020 '******************
4500 '**** NO SPACE ***********
                                           9030 IF ERR=52 OR ERR=53 OR ERR=55 THEN
4510 IF LEN(B$)>LL% THEN GOTO 4560
                                           9100
4520 LPRINT SPACE$(LM%)+B$
                                           9040 PRINT "ERROR "; ERR; " AT LINE NUMBE
4530 B$="":AL%=0:TF%=0:
                                           R ": ERL:
4540 RETURN
                                           9050 END
4560 LPRINT SPACE$ (LM%) +MID$ (B$,1,(LL%-T
                                           9100 PRINT@240, "Invalid filename press E
                                           NTER to contine";
4570 B$=MID$(B$,((LL%-TF%)+1),(LEN(B$)-{
                                           9110 E$=INKEY$: IF E$="" THEN GOTO 9110
LL%-TF%)))
                                           9120 IF E$=CHR$(13) THEN GOTO 9130 ELSE
4580 AL%=LEN(B$)
                                           GOTO 9110
4590 RETURN
                                           9130 PRINT@240.SPACE$(39):
4700 '**** FOUND SPACE *********
                                           9140 RESUME 2700
4710 LPRINT SPACE$(LM%)+MID$(B$,1,(SP%-1
                                           10000 '*******************
                                           10010
                                                       INPUT COMMAND
))
                                           10015 ********************
4720 IF SP%<(LL%+1) THEN B$=MID$(B$, (SP%
+1),(LEN(B$)-SP%)) ELSE B$=""
                                           10020 CC%=0
                                          10030 IC$=INKEY$: IF IC$="" THEN 10030
4730 AL%=LEN(B$)
4740 RETURN
                                          10040 IF IC$=CHR$(29) OR IC$=CHR$(8) THE
5000 '*****************
                                           N GOTO 10500
5010 ' CHECK FOR TABS IN NEW B$
                                          10045 IF IC$=CHR$(5) THEN GOTO 10600
                                         10050 IF IC$=CHR$(13) THEN RETURN
5020 '******************
                                           10060 IF IC$=CHR$(6) THEN GOTO 2700
5100 T%=0:TF%=0:PT%=0:
5110 T%=INSTR((PT%+1),B$,CHR$(9))
                                          10070 IF IC$=CHR$(16) THEN GOTO 3000
5120 IF T%=0 THEN GOTO 6000
                                           10080 CC%=CC%+1
                                           10090 PRINT@(300+CC%), IC$;
5130 TF%=TF%+(8-((AL%+TF%)MOD8)):PT%=T%:
                                           10100 CL$=CL$+IC$
5140 GOTO 5110
                                           10110 IF CC%=13 THEN RETURN
6000 '******************
6010 'EOF CHECK WHICH EITHER BRANCHES
                                           10120 GOTO 10030
                                           10500 '**** BACKSPACE **********
6020 ' BACK TO INPUT DATA CHARACTER
6030 ' OR PRINTS CONTENTS OF B$. IT
                                           10510 IF CC%<=0 THEN GOTO 10030
                                           10520 PRINT@(300+CC%)," ";
6040 '
       ALSO PERFORMS LINE SPACING AND
6050 ' PAGE BREAKS.
                                           10530 CC%=CC%-1:CL$=MID$(CL$.1.CC%)
                                           10540 GOTO 10030
6060 '******************
                                           10600 CLS: END
6100 '**** LINE SPACING *********
                                            12000 PRINT ERL
6110 NL%=NL%+1
                                           12010 PRINT ERR: END
6120 IF LS%=1 THEN GOTO 6200
```

PCM

36

Reviews

SOFTWARE

Scribe Useful Word Processor With Unexpected Power

Scribe is the first word processing package developed for the Model 100. Its purpose is to allow the user to produce a file and then utilize the full capabilities of the available printer. In my job as Newsletter Editor for the Cincinnati TRS-80 Users Group (CINTUG), I have experimented with all of the word processors written for the Models I, II/12/16, and III/4. Each of the packages has features that fit a users specific need and printer, Chattanooga Systems Associates has chosen to model their program so that it is compatible with the Newscript word processing package. This particular system follows the Edgar word processor developed by IBM. With this compatibility, Scribe possesses considerable more power than


might be expected from a Model 100 word processor. Text can be prepared on a Model 100, and then transmitted to a Model I/III/4, to be merged with the mailing list for automatic addressing.

Scribe, like Newscript, supports a variety of printers. It allows you to add imbedded control codes so that double wide, 10 cpi, and 16.7 cpi characters can be included in a single printout. The program itself is a short BASIC program some 47 lines in length, which requires only 2.2K of memory. This leaves a little more than 3K for the text file in an 8K machine. The original version that you receive is set up for use with three printers, the Epson, Gemini 10/15 and RS DW-II (which is the current standard for all Radio Shack Printers). Information is included so that you can modify the program for a different printer.

In order to use *Scribe*, you first prepare your text using the *TEXT* program in the Model 100. This text preparation should include the formatting described in the *Scribe* manual. You then return

to BASIC and load up either from tape or from RAM. Scribe then asks a series of questions. First, it asks where the text file is to be found, RAM or CAS. It then asks the name of the file. The third question has to do with format ... 10 cpi, 12 cpi, or 17 cpi. Then it asks for the print quality that you want (providing your printer supports these modes). Next it asks for the desired line spacing. Automatic page numbering is the next question to be answered along with the page where numbering is to start. Finally, you are asked if it is to stop at the end of each page so that a new sheet of paper can be inserted. This feature is useful if your printer allows you to friction-feed single sheets.

The best way to understand the use of *Scribe* is to type in the sample letter given in the manual. After doing this, I had no problems using *Scribe* with both the EPSON and GEMINI printers. It also worked well with my Centronics 737/LPIV, with the exception that the line feed command did not work with-



The Rackseller

ALABAMA Florence Madison ALASKA Fairbanks

Kotzebue

Atlanta

Trenton

Chicago

Chicago

Oakbrook

INDIANA

Fikhart

ILLINOIS

Columbus

Anderson News Co. Madison Books

Electronic World Fairbanks News Agency Arctic Bookstore, Inc.

ARIZONA Phoenix Road Runner Computer Pro Scottsdale Softwareland Corp. Anderson News Co. Tucson

CALIFORNIA Atwater Electro Brain Citrus Heights Software Plus Half Moon Bay Strawflower Electronics North

Hollywood Levity Distributors Sunnwale Computer Literacy CONNECTICUT

Hartford The Aetna Life Club Store DELAWARE

Normar Inc. - The Smoke Shop Wilmington **FLORIDA**

Ft. Lauderdale Software Connection Miami Newsrack Panama City Computer Systems Group Pensacola Anderson News Co. Tallahassee Anderson News Co. Winter Park Independent Computer Systems GEORGIA

Guild News Agency Muscogee News Co. The Phone Line

> Kroch's & Brentano's Jackson Street Kroch's & Brentano's Wabash Ave. Prairie News Agency Kroch's & Brentano's

Elkhart City News & Book Store

Indianapolis Madison Scottsburg KANSAS

Topeka

Wichita

KENTUCKY Benton Pikeville LOUISIANA Slidell

MAINE South Portland **MASSACHUSETTS**

Littleton Marlboro Woburn MICHIGAN

Novi **NEBRASKA** Lincoln **NEVADA**

Las Veaas **NEW HAMPSHIRE** Manchester Petersborough West Lebanon

NEW JERSEY Hackensack Midland Park Pennsville **NEW MEXICO**

Albuquerque NEW YORK Johnson City New York City NORTH DAKOTA Farao OHIO

Cincinnati

Lakewood

A-Computer Store Arco Office Supplies Radio Shack of Scottsburg

Town Criers of Topeka Palmer News Inc. Amateur Radio Equipment Co. Lloyd's Radio

Anderson Electronics Gus-Stan Enterprises

Radio Shack

Portland News Co

Computer Plus Radio Shack

Microcon Software Centers

MI Software Dist., Inc.

Hobby Town

Hurley Electronics

Brookwrights Radio Shack Verham News Corp.

Total Circulation Service Software City Dave's Electronic Radio Shack

Page One Newsstand

Unicorn Electronics Usercom System, Inc.

Computer Associates

Softwarehouse Lakewood International News Toledo

Reitz Electronics, Inc.

OREGON Libra Books, Inc. Eugene Medford John's News Stand Portland 80-Plus Roseburg PENNSYLVANIA

Pittsburgh Computer Store Pleasant Hills

SOUTH CAROLINA Greenville

North Charleston

TENNESSEE Chattanooga Knoxville Memphis Nashville Smyrna

TEXAS Austin

> Dallas Elain Ft. Worth

Irving WASHINGTON Blaine

Richland Seattle WISCONSIN

Appleton Janesville Portage CANADA:

ALBERTA Calgary Edmonton

NOVA SCOTIA Halifax ONTARIO Hamilton

Rainy Day Bookshop

Palmetto News Co.

The Green Dragon

Anderson News Co. Anderson News Co. Computer Center Mosko's Book Store Delker Electronics, Inc.

Austin News Agency Capitol Micro Computers Software & Things Micro Concepts, Inc. Homing Pigeon A & A International **RFI** Electronics Software Access

Compulit Dist. C & J Electronics Computer Center

Badger Periodicals Book World Sam's Electronics

Adams News

Rainbow Software Services Kelly's Software Distributors

Atlantic News

Galls Book World

out modifying the program. I was able to modify the program to work with the Centronics 737 by using the information supplied in the manual. I also uploaded the file to my Model I, and printed it out using Newscript with no problems.

My major complaint with Scribe is the manual supplied. It was printed on folded 7½ by 11 paper, and the copy had been reduced approximately 40% in reproduction. This size is too small to properly file in a note book. The reduced type size also made it difficult to read, and I made a number of errors in typing the sample letter. Other than the quality of the documentation reproduction. I found no major faults with the program. It should prove useful for those occasions when a text file cannot be uploaded to a larger machine.

(Chattanooga Systems Associates, P.O. Box 22261, Chattanooga, TN 27421, \$24.95)

-Ed Fairman

(continued from page 5)

the Portable Computer are making good progress. So, effective this month, there is a special edition of PCM available in Australia, New Zealand and the South

And, in closing, let me call your attention to a computer show — one of four — that we will be sponsoring October 14-16 in Fort Worth, Texas. The show, RAINBOWfest, is essentially aimed at the TRS-80 Color Computer, but last year's first show in Chicago saw a couple of Portable Computers around. I suspect there will be more this year.

Too, our keynote speaker at a Saturday morning breakfast is Mark Yamagata, who has just been appointed Director of Computer Merchandising for Personal Computer Products. That area of responsibility includes the Portable Computer as well as the Color Computer. It will be one of Mark's first public appearances in his new role.

Too, RAINBOWfest might be a glimpse into the PoCo's future. After all, the Color Computer is a little more than two years older than the Portable Computer. And, I think you will be amazed to see everything that is there!

The site is the Hyatt-Regency Fort Worth. The display floor is open Friday evening, most of the day Saturday and all afternoon on Sunday. Three day tickets are \$8 in advance while single day tickets are \$6 in advance. Breakfast tickets, which must be ordered in advance, are \$11. There is a \$1 handling charge per order.

Tickets can be ordered from RAIN-BOWfest, P.O. Box 209, Prospect, KY 40059. Or, you can call (502) 228-4492. We accept VISA, MasterCard and American Express, of course.


Other shows later in the year will be in Long Beach, California, Chicago and New Brunswick, New Jersey.

We'd like to see you there!


—Lonnie Falk

NEW!

The Spectrum Projects PoCo Stand







\$24.95

plus \$5 shipping and handling N.Y. residents add sales tax

Model 100 Cables

CoCo to Model 100 Cables

— \$19.95

CoCo to Model I, II, III, IV

— \$24.95

External 6 volt Battery

— \$19.95

8K Model 100 stock #26-3801 \$679

For quick delivery call:

Model 100 8K Memory Upgrade Module \$85 each 2 or more \$80 each

SPECTRUM PROJECTS

PCM

93-15 86th DRIVE WOODHAVEN, NY 11421 (212) 441-2807

Call our Bulletin Board for free Model 100 programs.

Now on line . . . 20 MEG. CORVUS HARD DISK DRIVE

BBS #1 — (212) 441-3755 BBS #2 — (212) 441-3766

BBS #3 - (212) 441-5719

THE SECRETS OF PERFECT MEMORY: ONE AND ONE HALF EARTH DOLLARS

AT LAST: THE WHOLE TRUTH ABOUT FLOPPIES.

Amazing book reveals

How to keep from brainwashing your disk so it never loses it's memory.

How fingerprints can actually damage disks. Unretouched Kirlian photographs of UFO's (Unidentified Floppy Objects)! The incredible importance of making copies: the Department of Redundancy Department—and what goes on when it goes on! Powerful secret methods that scientists claim can actually prevent computer amnesia! All this, and much more . . .

In short, it's an 80page plain-English, graphically stunning, pocket-sized definitive guide to the care and feeding of flexible disks.

For The Book, ask your nearest computer store that sells Elephant** disks, and bring along one and one half earth dollars.

For the name of the store, ask us.

ELEPHANT MEMORY
SYSTEMS® Marketed
exclusively by Leading
Edge Products, Inc.,
Information Systems
and Supplies Division,
55 Providence Highway,
Norwood, MA 02062. Call
toll free 1-800-343-8413,
In Massachusetts, call
collect (617) 769-8150,
Telex 951-624.

